

## PowerCycling PC Series Thermoelectric Cooler

The PC6-12-F1-4040-TA-W6 is a thermoelectric cooler designed for thermal cycling between multiple temperature set points and is ideal for applications in healthcare among others, where fast temperature changes are required. The thermoelectric module is specially constructed to reduce the amount of stress induced on the thermoelectric elements during operation. It has a maximum Qc of 49.1 Watts when  $\Delta T=0$  and a maximum  $\Delta T$  of 70.5 °C at Qc = 0.


#### **Features**

- High thermal cycling capability
- Precise temperature control
- Reliable solid-state operation
- No sound or vibrationRoHS-compliant

#### **Applications**

- Thermoelectric Modules Accelerate PCR Thermal Cycling
- DNA Amplification (PCR)







Ceramic Material: Alumina (Al<sub>2</sub>O<sub>3</sub>) Solder Construction: 138°C, Bismuth Tin (BiSn)


INCHES [ MM ]


## **ELECTRICAL AND THERMAL PERFORMANCE**

























# **SPECIFICATIONS\***

**Hot Side Temperature** 

 $Qcmax (\Delta T = 0)$ 

 $\Delta T max (Qc = 0)$ 

Imax (I @ \Darkstrum \

Vmax (V @ \Darmax)

**Module Resistance** 

**Max Operating Temperature** 

Weight

27.0 °C	35.0 °C	50.0 °C
49.1 Watts	50.6 Watts	53.3 Watts
70.5°C	73.5°C	78.8°C
6.1 Amps	6.1 Amps	6.0 Amps
13.9 Volts	14.4 Volts	15.4 Volts
2.11 Ohms	2.20 Ohms	2.37 Ohms
80 °C		
21.0 gram(s)		

# **FINISHING OPTIONS**

Suffix	Thickness	Flatness / Parallelism	Hot Face	Cold Face	Lead Length
TA 3.800 $\pm 0.025$ mm 0.150 $\pm 0.001$ in		0.025 mm / 0.025 mm 0.001 in / 0.001 in	Lapped	Lapped	152.4 mm 6.00 in

## **SEALING OPTIONS**

	Suffix	Sealant	Color	<b>Temp Range</b>	Description
None			No sealing specified		

## **NOTES**

- 1. Max operating temperature: 120°C
- 2. Do not exceed Imax or Vmax when operating module
- 3. Reference assembly guidelines for recommended installation
- 4. Solder tinning also available on metallized ceramics

Any information furnished by Laird and its agents, whether in specifications, data sheets, product catalogues or otherwise, is believed to be (but is not warranted as being) accurate and reliable, is provided for information only and does not form part of any contract with Laird. All specifications are subject to change without notice. Laird assumes no responsibility and disclaims all liability for losses or damages resulting from use of or reliance on this information. All Laird products are sold subject to the Laird Terms and Conditions of sale (including Laird's limited warranty) in effect from time to time, a copy of which will be furnished upon request.

© Copyright 2020 Laird Thermal Systems GmbH. All Rights Reserved. Laird, Laird Technologies, Laird Thermal Systems, the Laird Logo, and other word marks and logos are trademarks or registered trademarks of Laird Limited or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.

Date: 04/24/2020

<sup>\*</sup> Specifications reflect thermoelectric coefficients updated March 2020