



a YAGEO company

C1812C226M4R2C7186

KPS SMD Comm X7R, Ceramic, 22 uF, 20%, 16 VDC, X7R, 1812-2

TOP VIEW Single or Double Chip Stack





| General Information | |
|---------------------|--------------------------------------------------------|
| Series | KPS SMD Comm X7R |
| Style | Stacked Chip |
| Description | SMD, MLCC, Stacked, Double Chip, Temperature Stable |
| Features | Temperature Stable |
| RoHS | Yes |
| Termination | Tin |
| AEC-Q200 | No |
| Component Weight | 310 mg |
| Chip Size | 1812-2 |
| Shelf Life | 78 Weeks |
| MSL | 1 |

Click here for the 3D model.

| Dimensions | |
|------------|----------------|
| L | 5mm +/-0.5mm |
| W | 3.5mm +/-0.5mm |
| Т | 5mm +1/-0.5mm |
| В | 1.1mm +/-0.3mm |

| Packaging Specifications | | |
|--------------------------|--------------------------|--|
| Packaging | T&R, 180mm, Plastic Tape | |
| Packaging Quantity | 400 | |

| Specifications | |
|--------------------------------------------------------------------|----------------------------------------------------|
| Capacitance | 22 uF |
| Measurement Condition | 120 Hz 0.5Vrms |
| Capacitance Tolerance | 20% |
| Voltage DC | 16 VDC |
| Dielectric Withstanding Voltage | 40 VDC |
| Temperature Range | -55/+125°C |
| Temperature Coefficient | X7R |
| Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC) | 15%, 120Hz 0.5Vrms |
| Dissipation Factor | 3.5% 120 Hz 0.5Vrms |
| Aging Rate | 3% Loss/Decade Hour: Referee Time is 1000 Hours |
| Insulation Resistance | 22.7 MOhms |

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.