
CBR02C299A3GAC

CBR-SMD RF C0G, Ceramic, 2.9 pF, +/-0.05 pF, 25 VDC, C0G, SMD, Fixed, RF, Ultra High Q, Low ESR, Class I, 0201



Click <u>here</u> for the 3D model. **Dimensions**

Chip Size 0201

- L 0.6mm +/-0.03mm
- W 0.3mm +/-0.03mm
- T 0.3mm +/-0.03mm

Dimensions

| B 0.15mm | +/-0.05mm |
|----------|-----------|
|----------|-----------|

| Pa | cka | ging | | T&R, 180mm, Plastic Tape |
|----|-----|------|---|--------------------------|
| _ | | | - | |

Packaging Quantity 15000

General Information

| | C | | | | | |
|--|-------------|---------------------------------------|--|--|--|--|
| Series | CBR-SMD | RF C0G | | | | |
| Style | SMD Chip | | | | | |
| Description | SMD, Fixe | d, RF, Ultra High Q, Low ESR, Class I | | | | |
| Features | Ultra High | Ultra High Q, Low ESR, Class I | | | | |
| RoHS | Yes | | | | | |
| Termination | Tin | | | | | |
| Marking | No | | | | | |
| AEC-Q200 | No | | | | | |
| Component Weight 0.3 mg | | | | | | |
| Notes | Solder Refl | ow Only. | | | | |
| Shelf Life | 78 Weeks | | | | | |
| MSL | 1 | | | | | |
| Specifications | | | | | | |
| Capacitance | | 2.9 pF | | | | |
| Capacitance Tolera | ance | +/-0.05 pF | | | | |
| Voltage DC | | 25 VDC | | | | |
| Dielectric Withstanding Voltage 62.5 VDC | | | | | | |
| Temperature Rang | e | -55/+125°C | | | | |
| Temperature Coeff | ficient | C0G | | | | |
| Dissipation Factor | | 0.218% | | | | |
| Aging Rate | | 0% Loss/Decade Hour | | | | |
| Insulation Resistan | ice | 10 GOhms | | | | |
| Quality Factor | | 458 | | | | |
| | | | | | | |

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 5/18/2023 - 57d7bd9a-da59-49a2-9fda-a02feef577c0 © 2006 - 2023 KEMET Generated 5/18/2023 - 57d7bd9a-da59-49a2-9fda-a02feef577c0 © 2006 - 2023 KEMET