


## F881BC103K300L

General Information

Series

Dielectric

F881, Film, Metallized Polypropylene, Safety, 0.01 uF, 10%, 300 VAC (Y2), 1000 VDC, 110°C, Lead Spacing = 15mm



Style Radial Features MKP EMI Safety RoHS Lead Wire Leads Safety Class Qualifications ENEC, UL, cUL, CQC AEC-Q200 No THB Performance No 2.189 g Component Weight Miscellaneous ClimCat: 40/110/56/C. Shelf Life 104 Weeks

F881

Metallized Polypropylene

Click here for the 3D model.

| Dimensions |                  |
|------------|------------------|
| L          | 18mm -0.5mm      |
| Н          | 11mm -0.5mm      |
| Т          | 5mm -0.5mm       |
| S          | 15mm +0.6/-0.1mm |
| НО         | 18.5mm +/-0.5mm  |
| F          | 0.8mm +/-0.05mm  |
| G          | 0.5mm NOM        |

| Specifications        |              |  |
|-----------------------|--------------|--|
| Capacitance           | 0.01 uF      |  |
| Capacitance Tolerance | 10%          |  |
| Voltage AC            | 300 VAC (Y2) |  |
| Voltage DC            | 1000 VDC     |  |
| Temperature Range     | -40/+110°C   |  |
| Rated Temperature     | 110°C        |  |
| Dissipation Factor    | 0.3% 1KHz    |  |
| Insulation Resistance | 30 GOhms     |  |
| Max dV/dt             | 600 V/us     |  |

| Packaging Specifications |     |  |
|--------------------------|-----|--|
| Packaging                | T&R |  |
| Packaging Quantity       | 600 |  |

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.