



# Mag Layers USA, INC

## Specification Sheet

P/N : **GMLB-201209-0080P-N8-RU**

### Products:

[Molded Power Chokes](#)

[Multilayer Chip Inductors](#)

[Lan Transformer](#)

[RF Passive / Antennas](#)

[Automotive](#)

### Certifications:

[ISO9001](#)

[IATF16949](#)

[ISO14001](#)

[QC080000](#)

### US Office

5406 Bolsa Ave.,  
Huntington Beach, CA 92649  
(714) 898-8377

### Contact Us

[www.maglayersusa.com](http://www.maglayersusa.com)  
[info@maglayersusa.com](mailto:info@maglayersusa.com)

## APPLICATION

GMLB chip beads can be used in a variety of electronic applications including:

- Computers and Computer Peripherals
- Cellular Communication Equipment
- Digital Cameras
- Digital Televisions
- Audio Equipment

## FEATURES

The GMLB Series is Mag.Layers' line of high quality ferrite chip beads. Using the latest in multilayer technology, we have developed chip beads that are able to resolve all EMI/EMC issues. High quality, reliability, and versatility make the GMLB series chip beads suitable for all your design needs.


- High Reliability  
The monolithic inorganic materials used to construct GMLB chips restrain magnetic flux leakage thereby minimizing EMI concerns. GMLB chips are also extremely effective with unstable grounding.
- Small Chip-Shaped Design  
The chip-shaped design makes GMLB chip beads ideal for automatic mounting.
- High Soldering Heat Resistance  
High quality termination allows both flow and re-flow soldering methods to be applied.
- Sharp High Frequency Characteristics  
The GMLB high frequency chip series has sharp impedance characteristics, which make it suitable for high-speed signal lines.

## PRODUCT IDENTIFICATION

G M L B - 1 6 0 8 0 8 - 0 0 3 0 A - N 8 -RU  
①                      ②                      ③                      ④                      ⑤                      ⑥

- ① Product Code
- ② Dimension Code
- ③ Impedance (at 100 MHz)
- ④ Series Type
- ⑤ Design Code
- ⑥ Code for Special Specification

## PRODUCT DIMENSION




NOTE : Dimensions in mm

PRODUCT NO.	A	B	C	D
GMLB-453215 (1812)-RU	4.5±0.20 (0.177±0.008)	3.2±0.20 (0.126±0.008)	1.5±0.20 (0.059±0.008)	0.5±0.30 (0.020±0.012)
GMLB-451616 (1806)-RU	4.5±0.20 (0.177±0.008)	1.6±0.20 (0.063±0.008)	1.6±0.20 (0.063±0.008)	0.5±0.30 (0.020±0.012)
GMLB-322513 (1210)-RU	3.2±0.20 (0.126±0.008)	2.5±0.20 (0.098±0.008)	1.3±0.20 (0.051±0.008)	0.5±0.30 (0.020±0.012)
GMLB-321616 (1206)-RU	3.2±0.20 (0.126±0.008)	1.6±0.20 (0.063±0.008)	1.6±0.20 (0.063±0.008)	0.5±0.30 (0.020±0.012)
GMLB-321611 (1206)-RU	3.2±0.20 (0.126±0.008)	1.6±0.20 (0.063±0.008)	1.1±0.20 (0.043±0.008)	0.5±0.30 (0.020±0.012)
GMLB-201209 (0805)-RU	2.0±0.20 (0.079±0.008)	1.2±0.20 (0.047±0.008)	0.9±0.20 (0.035±0.008)	0.5±0.30 (0.020±0.012)
GMLB-160808 (0603)-RU	1.6±0.15 (0.063±0.006)	0.8±0.15 (0.031±0.006)	0.8±0.15 (0.031±0.006)	0.3±0.20 (0.012±0.008)

## CURRENT DERATING

In operating temperatures exceeding +85°C, derating of current is necessary for chip ferrite beads for which rated current is 1.5A or over. Please apply the derating curve shown below according to the operating temperature.



## ELECTRICAL REQUIREMENTS

Part Number	Impedance ( $\Omega$ ) at 100 MHz	$R_{DC}$ ( $\Omega$ ) Max.	Rated Current (mA) Max.	Operating Temp. Range ( $^{\circ}\text{C}$ )
GMLB-201209-0080P-N8-RU	80 $\pm$ 25%	0.04	5000	-55 ~ +125

- Temperature rise should be less than 40 $^{\circ}\text{C}$  for P-type and less than 25 $^{\circ}\text{C}$  for other types when rated current is applied.

## MEASURING METHOD / CONDITION

- Test Instrument:

Z: Agilent 4291B Impedance Analyzer, Test Fixture: Agilent 16192

Osc. Level: 500mV

$R_{DC}$ : Agilent 34401A

- Test Condition:


< Unless otherwise specified >

Temperature: 15 $^{\circ}\text{C}$  to 35 $^{\circ}\text{C}$  Humidity: 25% to 85% RH

< In case of doubt >


Temperature: 25 $^{\circ}\text{C} \pm 2^{\circ}\text{C}$  Humidity: 60% to 70% RH

## ELECTRICAL CHARACTERISTICS (T=25 $^{\circ}\text{C}$ )




# PACKAGING

## ● Peel-off Force




The force for peeling off cover tape is 10 grams in the arrow direction.

## ● Dimension (Unit: mm)




TYPE	A	B	C	D	E	F
8 mm	178±1	60 +0.5 -0	-	13 ±0.2	9 ±0.5	12 ±0.5
12 mm	178±0.3	60 ±0.2	19.3 ±0.1	13.5 ±0.1	13.6 ±0.1	-



TYPE	SIZE	A	B	W	P	T	CHIPS/REEL
GMLB	160808	1.1	1.9	8	4	1.1, *0.95±0.05	4000
	201209	1.5	2.3	8	4	1.3, *0.95±0.10	4000
	321611	1.9	3.5	8	4	1.5	3000
	321616	1.9	3.5	8	4	2.0	3000
	322513	2.9	3.6	8	4	1.7	2500
	451616	1.9	4.9	12	4	2.0	2000
	453215	3.6	4.9	12	8	1.9	1000


\*: For paper reels



● Taping Quantity

SERIES	4532	4516	3225	3216	2012	1608
PCS/Reel	1000	2000	2500	3000	4000	4000


● Tape Packing Case



No. of Reels	W	L	H
2	18±0.5	18±0.5	2.4±0.2
3	18±0.5	18±0.5	3.6±0.2
4	18±0.5	18±0.5	4.8±0.2
5	18±0.5	18±0.5	6.0±0.2

Unit: cm



■ RECOMMENDED PCB LAYOUT




Unit: mm

Type	1608	2012	3216	3225	4516	4532	
Size	L	1.6	2.0	3.2	3.2	4.5	4.5
	W	0.8	1.2	1.6	2.5	1.6	3.2
A	0.6~0.8	0.8~1.2	1.8~2.2	1.8~2.2	3.4	3.4	
B	0.6~0.8	0.8~1.2	1.1~1.6	1.1~1.6	1.5	1.5	
C	0.6~0.8	0.9~1.6	0.9~1.6	3.40	1.4	4.2	

# RELIABILITY TEST

•Mechanical Performance Test																					
ITEM	SPECIFICATION		TEST CONDITION																		
Solderability	More than 90% of the terminal electrode shall be covered with fresh solder.		Solder: 96.5Sn-3.0Ag-0.5Cu Solder Temperature: 245 ± 5°C Flux: Rosin Dip Time: 3 ± 1 Seconds																		
Soldering Resistance	Heat	The chip shall not crack. More than 75% of the terminal electrode shall be covered with solder.	Solder: 96.5Sn-3.0Ag-0.5Cu Solder temperature : 260 ± 5°C Flux: Rosin Dip time: 10 ± 1 seconds																		
Terminal Strength	The terminal electrode shall not be broken off nor the ferrite damaged.  		<table border="1"> <thead> <tr> <th>TYPE</th> <th>W(KGF)</th> <th>TIME (SEC)</th> </tr> </thead> <tbody> <tr> <td>GMLB-160808</td> <td rowspan="2">0.6</td> <td rowspan="7">30 ± 5</td> </tr> <tr> <td>GMLB-201209</td> </tr> <tr> <td>GMLB-321611</td> <td rowspan="4">1.0</td> </tr> <tr> <td>GMLB-321616</td> </tr> <tr> <td>GMLB-322513</td> </tr> <tr> <td>GMLB-451616</td> </tr> <tr> <td>GMLB-453215</td> <td>1.5</td> </tr> </tbody> </table>	TYPE	W(KGF)	TIME (SEC)	GMLB-160808	0.6	30 ± 5	GMLB-201209	GMLB-321611	1.0	GMLB-321616	GMLB-322513	GMLB-451616	GMLB-453215	1.5				
			TYPE	W(KGF)	TIME (SEC)																
			GMLB-160808	0.6	30 ± 5																
			GMLB-201209																		
			GMLB-321611	1.0																	
			GMLB-321616																		
			GMLB-322513																		
GMLB-451616																					
GMLB-453215	1.5																				
Bending Strength	No mechanical damage. The ferrite shall not be damaged.  		<table border="1"> <thead> <tr> <th>TYPE</th> <th>A(MM)</th> <th>P(KGF)</th> </tr> </thead> <tbody> <tr> <td>GMLB-160808</td> <td>1.0</td> <td rowspan="2">1.0</td> </tr> <tr> <td>GMLB-201209</td> <td>1.4</td> </tr> <tr> <td>GMLB-321611</td> <td rowspan="2">2.0</td> <td rowspan="2">2.0</td> </tr> <tr> <td>GMLB-321616</td> </tr> <tr> <td>GMLB-322513</td> <td rowspan="2">2.5</td> <td rowspan="2">2.5</td> </tr> <tr> <td>GMLB-451616</td> </tr> <tr> <td>GMLB-453215</td> <td>2.7</td> </tr> </tbody> </table>	TYPE	A(MM)	P(KGF)	GMLB-160808	1.0	1.0	GMLB-201209	1.4	GMLB-321611	2.0	2.0	GMLB-321616	GMLB-322513	2.5	2.5	GMLB-451616	GMLB-453215	2.7
			TYPE	A(MM)	P(KGF)																
			GMLB-160808	1.0	1.0																
			GMLB-201209	1.4																	
			GMLB-321611	2.0	2.0																
			GMLB-321616																		
GMLB-322513	2.5	2.5																			
GMLB-451616																					
GMLB-453215	2.7																				
• Climatic test																					
ITEM	SPECIFICATION		TEST CONDITION																		
Thermal Shock (Temperature Cycle)	Impedance shall be within ± 20% of the initial value.		Temperature: -55°C~125°C for 30 minutes each, 100 cycles.																		
Humidity Resistance			Temperature : 60°C Humidity: 95% RH Time: 1000 ± 12 Hours																		
High Temperature Resistance			Temperature : 85°C±2°C Time: 1000 ± 12 Hours																		
1. Operating Temperature Range: -55 °C TO +125°C 2. Storage Condition: The temperature should be within -40°C~85°C and humidity should be less than 75% RH. The product should be used within 6 months from the time of delivery.																					

## RECOMMENDED REFLOW SOLDERING PROFILE



Profile Feature		Sn-Pb	Pb-Free
Preheat	ts	60~120 seconds	60~180 seconds
	Tsmin	100°C	150°C
	Tsmax	150°C	200°C
Average ramp-up rate (Tsmax to Tp)		3°C/second max.	3°C/second max.
Time main above	Temperature (Tl)	183°C	217°C
	Time (tL)	60~150 seconds	60~150 seconds
Peak temperature (Tp)		230°C	250~260°C
Time within 5°C of actual peak temperature (tP)		10 seconds	10 seconds
Ramp-down rate		6°C/sec max.	6°C/sec max.
Time 25°C to peak temperature		6 minutes max.	8 minutes max.

## NOTES

The contents of this data sheet are subject to change without notice. Please confirm the specifications and delivery conditions when placing your order.