


## T493D107K010BH6410


T493 HRA, Tantalum, MnO2 Tantalum, HRA, 100 uF, 10%, 10 VDC, SMD, MnO2, Molded, High Reliability, B (0.1%/1000 Hrs), 700 mOhms, 7343, Height Max = 3.1mm





ANODE (+) END VIEW





Click <u>here</u> for the 3D model.

## Dimensions

Footprint 7343

- L 7.3mm +/-0.3mm
- W 4.3mm +/-0.3mm
- H 2.8mm +/-0.3mm
- T 0.13mm REF
- S 1.3mm +/-0.3mm
- F 2.4mm +/-0.1mm
- A 3.8mm MIN
- B 0.5mm +/-0.15mm
- E 3.5mm REF
- G 3.5mm REF
- P 0.5mm MIN
- R 1mm REF
- X 0.1mm +/-0.1mm

## **Packaging Specifications**

T493 HRA

Packaging T&R, 178mm

Packaging Quantity 500

Series

## **General Information**

Series	
Dielectric	MnO2 Tantalum
Style	SMD Chip
Description	SMD, MnO2, Molded, High Reliability
Features	High Reliability
RoHS	No
Prop 65	WARNING: Cancer and reproductive harm -
	http://www.p65warnings.ca.gov.
SCIP Number	1dd2e1b8-26dd-4d52-927c-6f9d519011aa
Termination	Solder Coated
AEC-Q200	No
Component	412.33 mg
Weight	112.55 1115
Notes	P and R dimensions represents the minimum solderable area of the
11000	termination surface entirely below cutout (if one is present).
	Specifications
Capacitance	100 uF
Capacitance To	lerance 10%
Voltage DC	10 VDC (85C), 6.7 VDC (125C)
Temperature Ra	ange -55/+125°C
Rated Temperat	ture 85°C
<b>Dissipation</b> Fac	tor 8% 120Hz 25C
Failure Rate	B (0.1%/1000 Hrs)
Resistance	0.7 Ohms (100kHz 25C)
Ripple Current	463 mA (rms, 100kHz 25C)
Leakage Curren	t $10 \text{ uA} (5 \text{min } 25^{\circ} \text{C})$
Testing and Rel	iability 10 Cycles Surge Current Testing At -55C And +85C Before Weibull

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 5/18/2023 - 8bd4f142-1878-4ffb-ae94-1ffda09bcb02 © 2006 - 2023 KEMET Generated 5/18/2023 - 8bd4f142-1878-4ffb-ae94-1ffda09bcb02 © 2006 - 2023 KEMET