
## C1206X225J5RACAUTO

SMD Auto X7R Flex, Ceramic, 2.2 uF, 5%, 50 VDC, X7R, SMD, MLCC, FT-CAP, Automotive Grade, 1206



Click <u>here</u> for the 3D model. **Dimensions** 

Chip Size 1206 L 3.3mm +/-0.4mm W 1.6mm +/-0.35mm

T 1.6mm +/-0.20mm

## **Dimensions**

В 0.6mm +/-0.25mm

## **Packaging Specifications**

| Packaging          | T&R, | 180mm, | Plastic Tape |
|--------------------|------|--------|--------------|
| Packaging Quantity | 2000 |        |              |

## **General Information**

| Series                 | SMD Auto X7R Flex                   |  |
|------------------------|-------------------------------------|--|
| Style                  | SMD Chip                            |  |
| Description            | SMD, MLCC, FT-CAP, Automotive Grade |  |
| Features               | FT-CAP, Automotive Grade            |  |
| RoHS                   | Yes                                 |  |
| Termination            | Flexible Termination                |  |
| Marking                | No                                  |  |
| Qualifications         | AEC-Q200                            |  |
| AEC-Q200               | Yes                                 |  |
| Component Weight 41 mg |                                     |  |
| Shelf Life             | 78 Weeks                            |  |
| MSL                    | 1                                   |  |

| Specifications  |   |  |
|---|---|--|
| Capacitance   | 2.2 uF  |  |
| Measurement Condition   | 1 kHz 1.0Vrms                                 |  |
| Capacitance Tolerance   | 5%  |  |
| Voltage DC  | 50 VDC  |  |
| Dielectric Withstanding Voltage                                       | 125 VDC                                       |  |
| Temperature Range   | -55/+125°C                                    |  |
| Temperature Coefficient   | X7R   |  |
| Capacitance Change with Reference to +25°C and 0<br>VDC Applied (TCC) | 15%, 1kHz 1.0Vrms                             |  |
| Dissipation Factor  | 10% 1 kHz 1.0Vrms                             |  |
| Aging Rate  | 3% Loss/Decade Hour: Referee Time is 48 Hours |  |
| Insulation Resistance   | 45.5 MOhms                                    |  |

**Specifications** 

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 5/18/2023 - c8dd6f33-ed0c-4984-b4f9-bd78f989ee5b © 2006 - 2023 KEMET Generated 5/18/2023 - c8dd6f33-ed0c-4984-b4f9-bd78f989ee5b © 2006 - 2023 KEMET