SPECIFICATI	ON FOR	APPROVAL		
CUSTOMER				
NOMINAL FREQUENCY	24.0	00000 MHz		
PRODUCT TYPE	TYPE FW 2.0x1.6	SEAM SEALED CRYST		
SPEC. NO. (P/N)	FW	FW2400063Q		
CUSTOMER P/N				
ISSUE DATE	February 14, 2018			
VERSION	Α			
APPROVED	PREPARED	QA		
Brenda	Claine	Dong Jang		
Diodes Incorporated o.2, Ziqiang 5th Rd., Zhongli Indus hongli Dist., Taoyuan City 32063, T EL: 886-3-451-8888 AX: 886-3-461-3865 ttps://www.diodes.com	aiwan (R.O.C.) *RoHS *HF-Ha *REAC	e Compliant Ilogen Free H Compliant Q200 Compliant		

FW2400063Q

VER. A 14-Feb-18

VERSION HISTORY

Version No.	Version Date	Description	Notes
А	Feb.14,2018	Initial Release	



FW2400063Q

VER. A 14-Feb-18

ELECTRICAL SPECIFICATIONS

ltem	Symbol	Specifications	Units	Notes
Nominal Frequency	Fn	24.000000	MHz	
Mode of Oscillation	MO	AT Cut-Fundamental		
Calibration Load Capacitance	CL	18	pF	
Calibration Tolerance	FL	±15	ppm	at 25°C±3°C
Operating Temperature Range	TR	-40 to +105	°C	
Frequency Stability (Frequency Deviation over the Operating Temperature Range)	F/T	±50	ppm	Reference to the Frequency at 25°C
Operating Drive Level		10	μW	
Maximum Drive Level		100	μW	Max.
Equivalent Series Resistance	ESR	90	Ω	Max
Shunt Capacitance	C0	5	pF	Max
Aging at 25°C		±3	ppm	Max, 1st year
Storage Temperature		-55 to +125	°C	
Insulation Resistance		500	MΩ	Min

* This product doesn't include harmful substance that stipulated by SONY SS-00259 Level 1 and S-AT2-001 Level 1 standard. RoHS Compliant (Pb - Free).



FW2400063Q

AEC-Q200 RELIABILITY TEST SPECIFICATIONS:

1. Initial

- 1.1 Physical Dimensions: JESD22, Method JB1-100
- 1.2 External Visual: MIL-STD-883, Method 2009
- 1.3 Freq. Vs. Temperature: Per Specification/Datasheet

2. Mechanical


- 2.1 Mechanical Shock: MIL-STD-202 Method 213
- 2.2 Vibration: MIL-STD-202 Method 204
- 2.3 Solderability: J-STD-002
- 2.4 Board Flex: AEC Q200-005
- 2.5 Terminal Strength (SMD): AEC Q200-006

3.Environmental

- 3.1 Temp Cycle: JESD22, Method JA-104
- 3.2 Resistance to Solder Heat: MIL-STD-202 Method 210
- 3.3 High Temperature Operating Life: MIL-STD-202, Method 108
- 3.4 High Temp Exposure: MIL-STD-202, Method 108
- 3.5 High Temp & High Humidity: MIL-STD-202, Method 103
- 3.6 Thermal Shock: MIL-STD-202, Method 107


SUGGESTED IR REFLOW PROFILE

*As per IPC-JEDEC J-STD-020D



	Stage	Temperature	Time
А	Preheat	150~200°C	60~120 Sec
в	Primary Heat	217°C	60~150 Sec
С	Peak	260°C	10 Sec








FW2400063Q

VER. A 14-Feb-18

Tape & Reel



- 1. 230mm minimum leafer which consist of carrier and/or tape followed by a minimum of 160mm of empty carrier tape sealed with cover tape.
- 2. 160mm minimum trailer of empty carrier tape sealed with cover tape.



TYPE FW 2.0x1.6 SEAM SEALED CRYSTAL FW2400063Q VER. A 14-Feb-18 PACKING start Begin End 3000pcs-Product Tape and the second Δ Inner Packing Carton Storeroom Label Blue Qualified Label A Storeroom Storeroom Label Deliver Packing Carton (L29*W24*H30) Green Qualified Label - , i

