25.00	DO000 MHz		
	00000 MHz		
	00000 MHz		
1201169			
2.041.03	SEAM SEALED CRYSTA		
FW2500024Q			
January 23, 2018			
В			
ED	QA		
4	Dong Jang		
	ark, *Pb-free (R.O.C.) *RoHS Compliant *HF-Halogen Free *REACH Compliant *AEC-Q200 Compliant		

TYPE FW 2.0x1.6 SEAM SEALED CRYSTAL

FW2500024Q

VER. B 23-Jan-18

VERSION HISTORY

Version No.	Version Date	Description	Notes
A	Apr.11,2014	Initial Release	
В	Jan.23,2018	Updated logo	
	<u> </u>		
	<u> </u>		



TYPE FW 2.0x1.6 SEAM SEALED CRYSTAL

FW2500024Q

VER. B 23-Jan-18

ELECTRICAL SPECIFICATIONS

Item	Symbol	Specifications	Units	Notes
Nominal Frequency	Fn	25.000000	MHz	
Mode of Oscillation	MO	AT Cut-Fundamental		
Calibration Load Capacitance	CL	8	pF	
Calibration Tolerance	FL	±10	ppm	at 25℃±3℃
Operating Temperature Range	TR	-40 to +85	C	
Frequency Stability (Frequency Deviation over the Operating Temperature Range)	F/T	±20	ppm	Reference to the Frequency at 25℃
Operating Drive Level		10	μW	
Maximum Drive Level		100	μW	Max.
Equivalent Series Resistance	ESR	60	Ω	Max
Shunt Capacitance	C0	3	pF	Мах
Aging at 25℃		±1	ppm	Max, 1st year
Storage Temperature		-55 to +125	C	
Insulation Resistance	1	500	MΩ	Min

X This product doesn't include harmful substance that stipulated by SONY SS-00259 Level 1 and S-AT2-001 Level 1 standard. RoHS Compliant (Pb - Free).



TYPE FW 2.0x1.6 SEAM SEALED CRYSTAL

FW2500024Q

AEC-Q200 RELIABILITY TEST SPECIFICATIONS:

1. Initial

- 1.1 Physical Dimensions: JESD22, Method JB1-100
- 1.2 External Visual: MIL-STD-883, Method 2009
- 1.3 Freq. Vs. Temperature: Per Specification/Datasheet

2. Mechanical


- 2.1 Mechanical Shock: MIL-STD-202 Method 213
- 2.2 Vibration: MIL-STD-202 Method 204
- 2.3 Solderability: J-STD-002
- 2.4 Board Flex: AEC Q200-005
- 2.5 Terminal Strength (SMD): AEC Q200-006

3.Environmental

- 3.1 Temp Cycle: JESD22, Method JA-104
- 3.2 Resistance to Solder Heat: MIL-STD-202 Method 210
- 3.3 High Temperature Operating Life: MIL-STD-202, Method 108
- 3.4 High Temp Exposure: MIL-STD-202, Method 108
- 3.5 High Temp & High Humidity: MIL-STD-202, Method 103
- 3.6 Thermal Shock: MIL-STD-202, Method 107


SUGGESTED IR REFLOW PROFILE

*As per IPC-JEDEC J-STD-020D



	Stage	Temperature	Time
А	Preheat	150~200°C	60~120 Sec
В	Primary Heat	217°C	60~150 Sec
С	Peak	260°C	10 Sec







TYPE FW 2.0x1.6 SEAM SEALED CRYSTAL FW2500024Q VER. B 23-Jan-18 Tape & Reel Index Mark 0.25±0.02 5.0 .0±0.1 Ø1.55±0.05 ø1.1 1.75±0.1 Œ 3.5±0.05 8±0.2 2.30 5 1.90 Feeding 4.0±0.1 0.65 Ø60.2±0.5 17848 9.0±0.3 12±1.4

- 1. 230mm minimum leafer which consist of carrier and/or tape followed by a minimum of 160mm of empty carrier tape sealed with cover tape.
- 2. 160mm minimum trailer of empty carrier tape sealed with cover tape.



