

APPROVED	PREPARED	QA		
Brenda	Y, F, WU	Dong Jang		

Diodes Incorporated

No.2, Ziqiang 5th Rd., Zhongli Industrial Park, Zhongli Dist., Taoyuan City 32063, Taiwan (R.O.C.) TEL: 886-3-451-8888 FAX: 886-3-461-3865 https://www.diodes.com

*Pb-free

- *RoHS Compliant
- *HF-Halogen Free
- *REACH Compliant
- *AEC-Q200 Compliant

TYPE FH 2.5x2.0 SEAM SEALED CRYSTAL

FH2500068Q

VER. B 15-Aug-18

VERSION HISTORY

Version No.	Version Date	Description	Notes
А	May.18,2017	Initial Release	
В	Aug.15,2018	Updated logo	



TYPE FH 2.5x2.0 SEAM SEALED CRYSTAL

FH2500068Q

VER. B 15-Aug-18

ELECTRICAL SPECIFICATIONS

ltem	Symbol	Specifications	Units	Notes		
Nominal Frequency	Fn	25.000000	MHz			
Mode of Oscillation	MO	AT Cut-Fundamental				
Calibration Load Capacitance	CL	12	pF			
Calibration Tolerance	FL	±10	ppm	at 25°C±3°C		
Operating Temperature Range	TR	-30 to +85	°C			
Frequency Stability (Frequency Deviation over the Operating Temperature Range)	F/T	±15	ppm	Reference to the Frequency at 25°C		
Operating Drive Level		10	μW			
Maximum Drive Level		100	μW			
Equivalent Series Resistance	ESR	80	Ω	Мах		
Shunt Capacitance	C0	5	pF	Мах		
Aging at 25°C		±1	ppm	Max, 1st year		
Storage Temperature		-55 to +125	°C			
Insulation Resistance		500	MΩ	Min		

* This product doesn't include harmful substance that stipulated by SONY SS-00259 Level 1 and S-AT2-001 Level 1 standard. RoHS Compliant (Pb - Free).



TYPE FH 2.5x2.0 SEAM SEALED CRYSTAL

FH2500068Q

AEC-Q200 RELIABILITY TEST SPECIFICA	TION	S:	
1. Initial			
1.1 Physical Dimensions: JESD22, Method JB1-100			
1.2 External Visual: MIL-STD-883, Method 2009			
1.3 Freq. Vs. Temperature: Per Specification/Datasheet			
2. Mechanical			
2.1 Mechanical Shock: MIL-STD-202 Method 213			
2.2 Vibration: MIL-STD-202 Method 204			
2.3 Solderability: J-STD-002			
2.4 Board Flex: AEC Q200-005			
2.5 Terminal Strength (SMD): AEC Q200-006			
3.Environmental			
3.1 Temp Cycle: JESD22, Method JA-104			
3.2 Resistance to Solder Heat: MIL-STD-202 Method 210			
3.3 High Temperature Operating Life: MIL-STD-202, Met	hod 10	8	
3.4 High Temp Exposure: MIL-STD-202, Method 108			
3.5 High Temp & High Humidity: MIL-STD-202, Method 1	103		
3.6 Thermal Shock: MIL-STD-202, Method 107			
SUGGESTED IR REFLOW PROFILE *As per IPC-JEDEC J-STD-020D			
Temperature	Note A B	Stage Preheat Primary Heat	Temperature 150~200°C 217°C

Time

	Ð			C						5	5	0
ι.	N	с	ο	R	Р	0	R	А	т	Е	D	

С

Peak


Time

60~120 Sec

60~150 Sec

10 Sec

260°C





TYPE FH 2.5x2.0 SEAM SEALED CRYSTAL FH2500068Q VER. B 15-Aug-18 Tape & Reel Index Mark 2.0 4.0±0.1 Ø1.55±0.05 0.25±0.05 Ø1.1 1,75±0,1 \oplus ł 3.5±0.05 8±0.2 2.70 5 2.25 4.0±0.1 Feeding 1.15 Ø60.2±0.5 178-5 9.0±0.3 12±1.4

- 1. 230mm minimum leafer which consist of carrier and/or tape followed by a minimum of 160mm of empty carrier tape sealed with cover tape.
- 2. 160mm minimum trailer of empty carrier tape sealed with cover tape.



