

VERSION

APPROVED	PREPARED	QA
Brenda	Nithi Lu	Dony Jang

Diodes Incorporated

No.2, Ziqiang 5th Rd., Zhongli Industrial Park, Zhongli Dist., Taoyuan City 32063, Taiwan (R.O.C.) TEL: 886-3-451-8888 FAX: 886-3-461-3865 https://www.diodes.com *Pb-free

*RoHS Compliant

В

*HF-Halogen Free

*REACH Compliant *AEC-Q200 Compliant

FY2700053Q

VER. B 8-Nov-17

VERSION HISTORY

Version No.	Version Date	Description	Notes
А	Oct.29,2010	Initial Release	
В	Nov.9,2017	1.Updated logo 2.Updated Suggested IR Reflow Profile 3.Updated Reliabilty specifications	



FY2700053Q

VER. B 8-Nov-17

ELECTRICAL SPECIFICATIONS

Item	Symbol	Specifications	Units	Notes
Nominal Frequency	Fn	27.000000	MHz	
Mode of Oscillation	MO	AT Cut-Fundamental		
Calibration Load Capacitance	CL	15	pF	
Calibration Tolerance	FL	±30	ppm	at 25°C±3°C
Operating Temperature Range	TR	-40 to +85	°C	
Frequency Stability (Frequency Deviation over the Operating Temperature Range)	F/T	±30	ppm	Reference to the Frequency at 25°C
Operating Drive Level		10	μW	
Maximum Drive Level		100	μW	
Equivalent Series Resistance	ESR	50	Ω	Max
Shunt Capacitance	C0	5	pF	Мах
Aging at 25°C		±5	ppm	Max, 1st year
Storage Temperature		-55 to +125	°C	
Insulation Resistance		500	MΩ	Min

* This product doesn't include harmful substance that stipulated by SONY SS-00259 Level 1 and S-AT2-001 Level 1 standard. RoHS Compliant (Pb - Free).



FY2700053Q

AEC-Q200 RELIABILITY TEST SPECIFICATIONS:

1. Initial

- 1.1 Physical Dimensions: JESD22, Method JB1-100
- 1.2 External Visual: MIL-STD-883, Method 2009
- 1.3 Freq. Vs. Temperature: Per Specification/Datasheet

2. Mechanical


- 2.1 Mechanical Shock: MIL-STD-202 Method 213
- 2.2 Vibration: MIL-STD-202 Method 204
- 2.3 Solderability: J-STD-002
- 2.4 Board Flex: AEC Q200-005
- 2.5 Terminal Strength (SMD): AEC Q200-006

3.Environmental

- 3.1 Temp Cycle: JESD22, Method JA-104
- 3.2 Resistance to Solder Heat: MIL-STD-202 Method 210
- 3.3 High Temperature Operating Life: MIL-STD-202, Method 108
- 3.4 High Temp Exposure: MIL-STD-202, Method 108
- 3.5 High Temp & High Humidity: MIL-STD-202, Method 103
- 3.6 Thermal Shock: MIL-STD-202, Method 107


SUGGESTED IR REFLOW PROFILE

*As per IPC-JEDEC J-STD-020D



Note	:		
<u>)</u>	Stage	Temperature	Time
А	Preheat	150~200°C	60~120 Sec
В	Primary Heat	217°C	60~150 Sec
С	Peak	260°C	10 Sec








FY2700053Q

VER. B 8-Nov-17

Tape & Reel



2. 160mm minimum trailer of empty carrier tape sealed with cover tape.



