Mounting Option 08-#4-40 Unified Threaded Inserts **Contact Detail** 541-Wire Wrap .025 Sq.(0.64 Sq.) - Tail LG=.760(19.30) .100 [2.54] Contact Spacing x .200 [5.08] Row Spacing


0.370 [9.40]

See Accompanying Pages for: Contact Bend Details

Mounting Options



- 2.646 [67.21] -2.500 [63.50] -Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board



.240 [6.10] Point of Contact-



842 ENG MASTER DATE: OCT. 06/09

J.LEE

SHEET 1 OF 3

SECTION A-A

842 Assembly

842/892 Series High Temp Card Edge Connector Part Number: 892-048-541-208



\sim		٦				SHALL NOT E
			CAI		D/ \	OR USED AS MANUFACTUR
R	CONNECTION	TO	QUALITY	80	SERVICE	WITHOUT WRI

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER

ORIGINAL (1)



842/892 Series High Temp C	ACAD REFERENCE NO. 842 ENG MASTER				
Contact Bend Detail	DRAWN:	J.LEE	DATE: OCT. 06/09		
Corridor bend Dendir	CHECKED:		DATE:		
EDAC INC	TORONTO, ONTARIO CANADA ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIE OR USED AS THE BASIS FOR THE BASIS		NTS	SHEET :	2 OF 3
			NUMBER		ISSUE
			842 Assembly		

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER



ISSUE NUMBER

ORIGINAL

1



842/892 Series High Temp Card Edge Co Mounting Options	DRAWN: J.LEE DATE: OCT. 06/09 CHECKED: DATE:
EDAC INC THESE DRAWINGS AND S	
	DUCED,OR COPIED DRAWING NUMBER ISSUE
YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMI	