



SEE DETAIL "A"
SECTION A-A




DETAIL "A"
SCALE: 4:1

NOTES: UNLESS OTHERWISE SPECIFIED

1. COSMETIC SPECIFICATION REFER TO WI-QA-038.



IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	166 Ω	318 Ω	444 Ω
Minimum	- Ω	239 Ω	- Ω



AGILENT E4991A Impedance/Material Analyzer
HP 16092A Test Fixture

BARE DIMENSIONS

A	14.99 [.590]	+	0.25 [.010]
B	6.99 [.275]	+	0.15 [.006]
C	28.57 [1.125]	+	0.76 [.030]

WEIGHT/K 19.41 kgs 42.8 Lbs.

DIMENSIONS ARE IN MM [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.				
REV	DESCRIPTION	DATE	INT					
F	UPDATE Z SPEC AND ADD NOTES	02/04/15	Jcai	PROJECT/PART NUMBER:		REV	PART TYPE:	DRAWN BY:
E	UPDATE FORMAT, Z SPECS, ADD CURVE REMOVE COATING SPECS, CHG P/N	07/15/03	JRK	28B0590-200		F	FERRITE BEAD CORE	LNK
D	UPDATE PRINT FORMAT ADD CHAMFER DETAIL	04/08/02	JRK	DATE:	8/03/92	SCALE:	2 : 1	MATERIAL:
C	CHG P/N TO 28B0590-20*, ADD COATING SPECS	04/01/99	I.S.	CAD #	28B0590-200-F	TOOL #	B0590	FERRITE
B	UPDATED P/N FOR NEW CATALOG	12/11/95	JBE					
A	ORIGINAL DRAFT	8/03/92	LNK					
REV	DESCRIPTION	DATE	INT					