



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
YOUR CONNECTION TO	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-24W	7624-2NA	ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-24W	7624-2NA	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female

PART NUMBER:




628-24W7624-2NA

		s ¹⁹ <u>↓ 2.77</u>	7.13	↓277	Ť	
		11W1 Male/Female	27W2 Male/Femal	e		
47.06 	8W8 Female	Image: Complex and second constructions		63.50 31.75 15.24 +++++++ ++++++++++++++++++++++++++++	- sea	
5_↓ ↓.5.26↓	<u> 8-36 </u> _7.64_	17W2 Male/Female	21W1 Male/Femal	e		
CURRENT RATINO 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ØA	<u>23.65</u>		47.05 23.03 90 +	ø	
		COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINA			DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
SERIES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAC INC., AN		SHEET 3 OF	4	
EUROPEAN UNION DIRECTIVES /65/EU FOR RoHS COMPLIANCY.		OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-24W	7624-2NA	ISSUE	
	YOUR CONNECTION TO QUALITY & SEF	NANUFACTURE OR SALE OF APPARA RVICE WITHOUT WRITTEN PERMISSION	TUS PART NUMBER: 628-24W	7624-2NA	1	


5W5 Male

5W5 Female


COMPLIANT



8W8 Male



5.30



WITHOUT WRITTEN PERMISSION.

THIS SI THE EU 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male









36W4 Female




13W3 Male











13W6 Male



43W2 Male





17W5 Female

.XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











	SW REFERENCE NO.: 628 COL				
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20)19
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-24W	7624-2NA	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-24W	7624-2NA	1