

Keying Shown as example

CHARACTERISTICS

-Salt Spray

BASIC SERIES:

Н

ယ


 \sim

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material : Composite -Shell Plating : Without Plating -Insulator : Thermoplastic -Contacts : Copper Alloy -Seals & Grommet : Silicon Elastomer -Contact Plating -Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories -Temperature Range

 \geq

Connector dimension Dim Nominal 3.25±0.2 Р PP 4.93±0.2 31.75 R1 29.36 R2 S 39.7±0.3 V 20.07+0/-1.25 W 2.1/3.2 31.5 Max Ζ



0		Ξ	A)				
					4				
LAY	OUT SHOWN AS EXA	MPLE			3				
SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.)									
	Country FR	Juriso	diction & Control List Not Listed	_	2				
PN: 8D021X77SB									
irst Release									
Latest modificatio	n - by			MOD N°					
Date: CUSTOMER DRAWING Composite Receptacle 8D series									
$\exists \bigoplus$	General linear Tolerances: ±	NPRDS / PROJECT 859							
WWW.SOURIAU.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission									
SOURIAU DRG N° SH 8D021X77SB-C									
С	00021X/	/SB-C	A	1/2	J				

	Ŧ	۵		н т	т	D	0	
		Contact Layout						Panel Cutou
		77					SQUARE FLANGE RECEPTACLE (TYPE	0)
4						-	SQUARE FLANGE RECEPTACLE (TYPE (REAR MOUNTING	
		17#22D						
		2#8 Triax				-		
	Cha	21-77	N.					ØT_
	Ctc A	X 1.96	Y 8.38				\ØA	<u> </u>
	В	5.46	7.67					
	C	8.51	5.79					im
ယ	D	10.46	2.82					ÁA AA
	E	10.46	-2.82				R	1
	F	8.51	-5.79				<u> </u>	бт
	G	5.46	-7.67					
	H	1.96 0	-8.38 -5.41					
	ĸ	-1.96	-8.38			[
	L	-5.46	-7.67				SOURIAU shall not be due to a use of the	
	M	-8.51	-5.79				the Specifications issue	ed by either of
	N	-10.46	-2.82				(professional i	recommendati
	Р	-10.46	2.82					Country
N	R	-8.51	5.79					FR
	S T	-5.46	7.67 8.38					00021
	U	-4.57	0				PIN:	8D021>
	V	4.57	0			A 30-09	-2016 First Release	
						ISS DA Designed By:	TE Latest modification - by Date:	y
						TITLE	c	Composite
						SCALE		eneral linear Tolerances: ±
						SOURI	AU WWW.SO	
						FORMAT A3		
								3D021X7
	Н	G		F	E	D	C	I

