

# HummingBoard Mate SBC


Up to 4 x Arm Cortex-A53 cores



- SoC: NXP i.MX8M Plus based Dual to Quad Core SOM Cortex A53 / NXP i.MX8M Mini based Single to Quad Core SOM Cortex A53
- Storage: 8GB eMMC
- Temperature: Commercial (0C to 70C), Industrial (-40C to 85C)
- OS: Linux





	i.MX8M Mini	i.MX8M Plus
<b>I/O</b>	2 x USB 2.0 1 x MIPI-CSI	2 x USB 3.0 1 x MIPI-CSI
<b>Networking</b>	1 x Ethernet RJ45 10/100/1000 1 x 802.11 a/b/g/n/ac WiFi and Bluetooth (2.4/5 GHz)	1 x Ethernet RJ45 10/100/1000 1 x 802.11 a/b/g/n/ac WiFi and Bluetooth (2.4/5 GHz)
<b>Processor</b>	NXP i.MX 8M Mini Single to Quad core Arm Cortex A53 up to 1.8GHz (with Arm M4 GPP)	NXP i.MX 8M Plus Dual/Quad core Arm Cortex A53 up to 1.8GHz (with Arm M7 GPP)
<b>Memory &amp; Storage</b>	Up to 4GB LPDDR4 8GB eMMC MicroSD	Up to 8GB LPDDR4 8GB eMMC MicroSD
<b>Display</b>	HDMI	HDMI
<b>Misc.</b>	1 x Reset button 1x Configurable push button 3 x LED indicators RTC	1 x Reset button 1x Configurable push button 3 x LED indicators RTC
<b>Development and Debug interfaces</b>	Micro USB	Micro USB
<b>Power</b>	7V - 28V	7V - 28V
<b>Expansion card I/Os</b>	mikroBUS header Mini PCIe with SIM holder	mikroBUS header Mini PCIe with SIM holder
<b>Temperature</b>	Commercial: 0°C to 70°C Industrial: -40°C to 85°C	Commercial: 0°C to 70°C Industrial: -40°C to 85°C
<b>Dimensions</b>	PCBA: 100 x 70mm Enclosure: 142 x 80 x 30mm	PCBA: 100 x 70mm Enclosure: 142 x 80 x 30mm
<b>Enclosure</b>	Extruded aluminum	Extruded aluminum



## Ordering Information

Available on Shop	
SKU	Description
<a href="#">SRMP8-EVKHM-R01</a>	SOM i.MX8M Plus Quad   HummingBoard Mate   WiFi/BT   1GB RAM   8GB eMMC   Com.Temp   Inc. Heatsink   Universal power adapter   Micro SD   Antenna

- To choose your ideal configuration see our [Product Configurator Tool](#)



For more information about the HummingBoard Mate Software/Hardware visit our:

[Developer Center](#)