



---


# MOBILE TOOL STORAGE



---

## TOOL BOXES

>048



---

## TOOL CHESTS

>049



---

## TOOL CASES/ ROLLER TOOL CASES

>051



---

## GEDORE SORTIMO®


>054



Tool Boxes

# TOOL BOXES

- > With riveted joints
- > Compartments to be fully pulled out
- > Great stability even if only one side is opened
- > Made from sheet steel, in GEDORE blue




- > **Made of electrolytically zinc-plated sheet steel and therefore suitable for outdoors**
- > As the zinc coating acts as a sacrificial anode, it protects should the other protective coating become damaged
- > Optimum corrosion-proofing achieved with two protective coats, zinc and powder coating



The GEDORE PLUS for (stand) safety - especially with a one-sided pull-out




The GEDORE PLUS for storage space as against the traditional design



## 1263 L TOOL BOX

3 compartments

- > With riveted joints
- > Compartments to be fully pulled out
- > Great stability even if only one side is opened
- > GEDORE blue powder-coated
- > Dimensions: H 158 x W 420 x D 225 mm
- > Particularly suitable for tool assortments S 1150, S 1151 and S 1151 A



H	W	D		Code	No.
158	420	225	4.0	6608250	1263 L

S 1151 S 1151 A >82/88



S 1002 >83





S 1005 A >89



## 1265 L TOOL BOX

5 compartments

- > With riveted joints
- > Compartments to be fully pulled out
- > Great stability even if only one side is opened
- > GEDORE blue powder-coated
- > Dimensions: H 210 x W 420 x D 225 mm
- > Particularly suitable for tool assortments S 1151 and S 1151 A





H	W	D		Code	No.
210	420	225	5.2	6609060	1265 L

## 1335 L TOOL BOX

5 compartments, long pattern

- > With riveted joints
- > Compartments to be fully pulled out
- > Great stability even if only one side is opened
- > GEDORE blue powder-coated
- > Dimensions: H 210 x W 535 x D 225 mm
- > Particularly suitable for tool assortments S 1024, S 1025, S 1151 and S 1151 A



H	W	D		Code	No.
210	535	225	6.3	6610580	1335 L

### Tool Chests

Central locking  
Drawers fully extendable

## 1410 L TOOL CHEST

- > With three large and three small drawers and carrying tray
- > All drawers fully extendable on runners
- > Particularly suitable for tool assortments S 1002 and S 1005 A
- > Made from sturdy sheet steel, fitted with central lock
- > In GEDORE blue
- > Dimensions: H 364 x W 663 x D 308 mm
- > Max. loading 75 kg



H	W	D		Code	No.
364	663	308	28.0	6614300	1410 L

## 1420 L TOOL CHEST

- > With three large drawers and carrying tray
- > All drawers fully extendable on runners
- > Particularly suitable for tool assortments S 1002 and S 1005 A
- > Made from sturdy sheet steel, fitted with central lock
- > In GEDORE blue
- > Dimensions: H 298 x W 610 x D 265 mm
- > Max. loading 75 kg



H	W	D		Code	No.
298	610	265	20.0	6615700	1420 L




## Tool Cases

### 1370 Z TOOL BOX

- > In special zinc-plated sheet steel for optimum protection against corrosion
- > The manufacture using pressure-joint technology means great rigidity
- > With removable small-parts compartment ES 1370 Z
- > Fitted with carrying strap E-1370 in nylon fabric with shoulder protector
- > Max. loading 25 kg




H	W	D		Code	No.
<b>224</b>	554	202	5.0	1497677	1370 Z
<b>69</b>	179	167	0.6	1497634	ES 1370 Z
			0.1	5600300	E-1370

### 1440 Z TOOL BOX JUMBO

zinc-plated

- > In special zinc-plated sheet steel for the heavy everyday-use
- > Optimum corrosion protection, spray water protected
- > Manufactured in pressure jointing technique, guarantees highest sturdiness
- > Robust metal fittings and protected hinges
- > Stopper to hold the lid open
- > Wide carrying handles
- > Max. loading 150 kg
- > Lockable through padlock
- > Lined interior
- > Removable tray for small parts (ES 1440)



H	W	D		Code	No.
<b>320</b>	698	387	17.0	6628280	1440 Z-70
<b>340</b>	841	427	21.0	6628360	1440 Z-83
<b>440</b>	918	537	30.0	6629170	1440 Z-91
<b>320</b>	998	387	22.0	6629250	1440 Z-100

### 1441 Z TRANSPORT FRAME

zinc-plated

- > In special zinc-plated sheet steel
- > Makes the tool boxes JUMBO 1440 / 1440 Z mobile
- > With 4 castors, 2 of them with brake
- > Delivery dismantled, for self-assembly




H	W	D		Code	No.
<b>135</b>	697	386	4.9	1497766	1441 Z-70
<b>135</b>	840	426	5.4	1497774	1441 Z-83
<b>135</b>	917	536	6.0	1497782	1441 Z-91
<b>135</b>	997	386	5.8	1497790	1441 Z-100

### 1440 TOOL BOX JUMBO

- > Sheet steel construction with strong handles (apart from 1440-45, 1440-64)
- > In GEDORE blue, waterproof
- > Strong joints, handles and stopper to hold the lid open
- > Special lining, with document partition and removable tray for small parts ES 1440
- > Please order separately transport frame 1441 Z
- > Special finishes available on request
- > 1440-45 without small parts tray
- > Supported load 1440-70, -83, -91, -100 up to 400 kg without using the fold-down handles. When lifting, static supporting power of the fold-down handles max. 150 kg



H	W	D		Code	No.
<b>230</b>	450	230	4,0	6612440	1440-45
<b>230</b>	640	230	7,0	6611040	1440-64
<b>320</b>	698	387	19,0	6616510	1440-70
<b>340</b>	841	427	23,0	6616780	1440-83
<b>440</b>	918	537	32,0	6616860	1440-91
<b>320</b>	998	387	25,0	6616940	1440-100

## WK 1000 L TOOL CASE EMPTY

- > From impact-resistant blown polypropylene, resistant to oil and acid and extremes of weather
- > With foam insert
- > Dimensions: W 437 x D 379 x H 160 mm
- > Delivery without tools



W	D	H		Code	No.
430	360	140	1.6	5600220	WK 1000 L

## WK 1091 L TOOL CASE EMPTY

- > From eco-friendly tanned cowhide
- > Carefully processed with strong industrial seams
- > Base insert from zinc-plated sheet steel
- > Edges reinforced with aluminium angle brackets, metal parts durable riveted
- > With feet to protect sensitive surfaces
- > Front part can be lowered for quick access to the tools, with two key locks to prevent inadvertent opening
- > Removable carrying strap with shoulder protector and sturdy carrying handle
- > Anti-theft protection due to two lockable notches, delivery includes two keys
- > Document partition
- > Interior measurements 430 x 200 x 290 mm



W	D	H		Code	No.
430	200	290	4.2	1953729	WK 1091 L

## WK 1015 L MOBILE TOOL CASE

empty

- > Handle with user-friendly telescopic grip
- > Widely spaced wheels with two inline castors for pulling without tipping
- > Sturdy aluminium frame with edge protector, trays of impact-resistant ABS plastic
- > When open, the case lid is prevented from locking unintentionally by the safety lid holder snapping into place
- > A4 document compartment in the lid
- > Removable tool panel with 22 tool pockets at the front and back in the lid
- > Removable cover for bottom tray with 15 tool pockets
- > Variably divisible bottom tray
- > Lockable with two-tilt cylinder locks and a combination lock
- > Comfort handle
- > Inside dimensions: 485 x 350 x 195 mm
- > Max. loading: 30 kg



W	D	H		Code	No.
485	350	195	8.0	2822326	WK 1015 L

## WK 1018 L TOOL CASE LARGE

empty

- > Sturdy aluminium frame with edge protector, trays of impact-resistant ABS plastic
- > When open, the case lid is prevented from locking unintentionally by the safety lid holder snapping into place
- > A4 document compartment in the lid
- > Removable tool panel with 22 tool pockets at the front and back in the lid
- > Removable cover for bottom tray with 15 tool pockets
- > Variably divisible bottom tray
- > Lockable with two-tilt cylinder locks and a combination lock
- > Comfort handle
- > Inside dimensions: 480 x 370 x 180 mm
- > Max. loading: 30 kg



W	D	H		Code	No.
480	370	180	6.0	2822342	WK 1018 L

S 1000

>69



1091

>71



S 1090

>75




# GEDORE L-BOXX® POWERED BY SORTIMO®

## The challenge:

The perfect "To Go" workshop

- > GEDORE's Sortimo® transport box system relies on a tried-and-tested mobility standard
- > The perfect alliance for intelligent, efficient process and project design planning



## The terms of reference

- > Tools, machines and material must be easily, safely, quickly and conveniently transported to the place of use i.e. in a preferably resources-saving manner.
- > Lengthy loading times must be avoided at all cost - guaranteed load securing a pre-condition here!

## For your safety

- > Did you know that in an accident a screwdriver develops an 8 kg impacting load?
- > And in no way is a screwdriver a heavy tool! It is easy to envisage how a screwdriver or hammer turns into a projectile in an accident!
- > The GEDORE L-BOXX®es are fully compatible with Sortimo® vehicle fittings
- > GEDORE L-BOXX® quality is constantly examined on the basis of the strict Sortimo® directives. Sortimo® has its quality endorsed through crash tests organised by TÜV.
- > If it comes to the worst, at least the tools stay where they belong - securely in their GEDORE L-BOXX®

## Your advantage

- > Intelligent order systems
- > Flexible, modular and individual
- > Ideal for mobile deployments
- > Diverse and highly efficient
- > Quick accessing of tools - perfect organisation
- > Transport box standard - e.g. compatible with electrical tool manufacturers
- > Guaranteed safety

## The solution:

### The GEDORE "MIXX AND CLICK" kit


- > Well-conceived tool assortments and tool modules in the Sortimo®-Transportbox system
- > GEDORE L-BOXX® 136 with front grip and GEDORE i-BOXX® 72 powered by Sortimo® form the tried-and-tested basis for GEDORE "MIXX AND CLICK"
- > Every GEDORE L-BOXX® is supplied with a tool card in the lid for order and more storage space
- > Perfectly suited for mobile deployments - that's the "To Go" workshop

#### Multiple compatibility and thus extremely flexible and highly individualised:

- > The GEDORE "MIXX AND CLICK" kit features untold combinations based on your requirements and also on the modules of other manufacturers (e.g. electrical tools /Bosch)
- > This in combination with other Sortimo® components (transport boxes and system components) gives rise to a well organised mobile workshop.
- > Perfectly tailored to your personal needs.



### i-Modules Individual modules



You haven't found the right tool modules for yourself? Have a word with us - we manufacture the complete module individually to your requests and needs.

### GEDORE L-BOXX® 136, powered by Sortimo®

- > A sturdy construction
- > Easy and convenient transportation of the tool to the place of use
- > Impact-resistant ABS plastic
- > Standard lid handle to carry the L-BOXX® horizontally
- > Additional kind-to-hands front grip to carry the L-BOXX® vertically
- > Spray-protected
- > With tool card for order and more storage space
- > Easy-click system: Practical connector for two and more L-BOXX®es, for secure grip and easy transport
- > No-problem integration in vehicles with the TÜV-tested Sortimo® vehicle fittings



# 1100-01

## GEDORE L-BOXX® 136

### WITH ASSORTMENT MECHANIC

58 pieces

- > Suitable for tradesmen
- > A selection of essential tools
- > With Check-Tool insert for quick check of completeness
- > 1100 CT2-01 to retrofit existing L-BOXX®es 136



1100-01



1100 CT2-01

Contents	⚖️	Code	No.
<b>1993 U-20 1990-10 1995</b>	8.3	2658194	1100-01
<b>19 10 11 12 13 14 15</b>			
<b>16 17 18 19 21 22 24</b>			
<b>60 CP 8 142 10 JC</b>			
<b>8316-160 JC 8133-180 JC</b>			
<b>600 H-500 110-256</b>			
<b>45 S TFK 649 E-649 F</b>			
<b>0063-08</b>			
<b>H 42-10 SCL 43 TX-80</b>			
<b>VDE 2170-2160 PH-077</b>			
<b>4615 3 4533-2 8728</b>			
<b>+ 1100 L</b>			

Contents	⚖️	Code	No.
<b>1993 U-20 1990-10 1995</b>	6.8	2936828	1100 CT2-01
<b>19 10 11 12 13 14 15</b>			
<b>16 17 18 19 21 22 24</b>			
<b>60 CP 8 142 10 JC</b>			
<b>8316-160 JC 8133-180 JC</b>			
<b>600 H-500 110-256</b>			
<b>45 S TFK 649 E-649 F</b>			
<b>0063-08</b>			

Description	⚖️	Code	No.
<b>Foam insert 2/2 L-BOXX 136, empty</b>	0.200	2690055	EI-1100-01

# 1100-02

## GEDORE L-BOXX® 136

### WITH ASSORTMENT ELECTRICIAN

36 pieces

- > Particularly suitable for electricians
- > A selection of essential tools
- > With Check-Tool insert for quick check of completeness
- > 1100 CT2-02 to retrofit existing L-BOXX®es 136



1100 CT2-02



1100-02

Contents	⚖️	Code	No.
<b>110-256 112-2510 600 H-500</b>	7.7	2658208	1100-02
<b>60 CP 8 142 10 JC</b>			
<b>8097 8133-180 JC</b>			
<b>VDE 8314-160 H</b>			
<b>VDE 8132-200 H</b>			
<b>VDE 8132 AB-200 H</b>			
<b>VDE 8098-160 H</b>			
<b>VDE 8094</b>			
<b>4528 4629 0175-06</b>			
<b>H 42-10 VDE 2170-2160 PH-077</b>			
<b>4615 3 VDE 4616</b>			
<b>45 E 4533-2</b>			
<b>+ 1100 L</b>			

Contents	⚖️	Code	No.
<b>110-256 112-2510 600 H-500</b>	6.1	2936836	1100 CT2-02
<b>60 CP 8 142 10 JC</b>			
<b>8097 8133-180 JC</b>			
<b>VDE 8314-160 H</b>			
<b>VDE 8132-200 H</b>			
<b>VDE 8132 AB-200 H</b>			
<b>VDE 8098-160 H</b>			
<b>VDE 8094</b>			
<b>4528 4629 0175-06</b>			

Description	⚖️	Code	No.
<b>Foam insert 2/2 L-BOXX 136, empty</b>	0.200	2690047	EI-1100-02



# 1100-03

## GEDORE L-BOXX® 136

### WITH ASSORTMENT

### INSTALLATION

44 pieces

- > Particularly suitable for professions in the plumbing, heating and air conditioning
- > A selection of essential tools
- > With Check-Tool insert for quick check of completeness
- > With two stacked Check-Tool inserts
- > 1100 CT2-03-100 B or -600 D to retrofit existing L-BOXX®es 136



1100 CT2-03-100 B



1100 CT2-03-600 D



1100-03



Contents	kg	Code	No.	Contents	kg	Code	No.
7 R 10 13 17 19 24 100 1.1/2 142 10 TL 322000 232001 225011 231000 381000 380100 600 H-500 110-256 SCL 43 TX-80 VDE 4616 45 P H 42-10 316500 4533-2 VDE 2170-2160 PH-077 + 1100 L	10.3	2658216	1100-03	7 R 10 13 17 19 24 100 1.1/2 142 10 TL 322000 232001 225011 231000 381000 380100 600 H-500 110-256 SCL 43 TX-80 VDE 4616 45 P H 42-10 316500	4.4	2940590	1100 CT2-03-100 B
					2.6	2940604	1100 CT2-03-600 D
Description	kg	Code	No.	Description	kg	Code	No.
Foam insert 2/2 L-BOXX 136, bottom, empty	0.200	2689979	EI-1100-03-100 B	Foam insert 2/2 L-BOXX 136, lid, empty	0.200	2690039	EI-1100-03-600 D

# 1100-BASIC

## STARTER TOOL KIT

in L-BOXX® 136, 23 pieces

- > Basic outfit for all lots
- > 1100 CT2-BASIC to retrofit existing L-BOXX®es 136



1100-BASIC



1100 CT2-BASIC

Contents	kg	Code	No.	Contents	kg	Code	No.
7 10 12 13 14 15 16 17 18 19 4528 4533-2 406 95-200 600 H-500 8133-180 JC 8316-180 JC 142 10 TL 2150 4 5,5 6,5 2160 PH 1 2 4615 3 + 1100 L	6.1	2835983	1100-BASIC	7 10 12 13 14 15 16 17 18 19 4528 4533-2 406 95-200 600 H-500	2.4	2835967	1100 CT2-BASIC
Description	kg	Code	No.	Description	kg	Code	No.
Foam insert 2/2 L-BOXX 136, empty	0.200	2835975	EI-1100 CT2-BASIC				

1100-1094

>592



# 1100-1.04

## UNIVERSAL PULLER SET

in L-BOXX® 136

- > Max. capacity up to 5 t
- > 2- and 3-arm cross-beam
- > With rigid and slim legs and extensions
- > Extra-slim pulling legs for cramped spaces are attached for self-mounting
- > The forged leg feet are very slim particularly suitable for barely accessible places
- > 12 different pullers can be combined
- > External Ø up to 130 mm, internal Ø up to 170 mm with a 200 mm clamping reach
- > 1100 CT2-1.04 to retrofit existing L-BOXX®es 136
- > With Check-Tool insert for quick check of completeness
- > As tools are fully sunk in the foam, the equipped insert can be stacked
- > Insert for use in drawers with min. dimensions 400 x 310 x 60 mm



1100-1.04



1100 CT2-1.04

Contents	kg	Code	No.	Contents	kg	Code	No.
1x 1.04/HP1A-B	6.3	2838362	1100-1.04	1x 1.04/HP1A-B	4.1	2836068	1100 CT2-1.04
1x 107/1A03				1x 107/1A03			
1x 106/A-100-B				1x 106/A-100-B			
3x 106/A-100-VB				3x 106/A-100-VB			
3x 106/A-100-S				3x 106/A-100-S			
3x 106/S101-S				3x 106/S101-S			
1x 1.1406200				1x 1.1406200			
+ 1100 L							
Description	kg	Code	No.	Description	kg	Code	No.
Foam insert 2/2 L-BOXX 136, empty	0.200	2836076		Foam insert 2/2 L-BOXX 136, empty	0.200	2836076	EI-1100 CT2-1.04

# 1100-1.04/12A

## PULLER SET

### INTERNAL/EXTERNAL

in L-BOXX® 136

- > Max. capacity 3 and 5 t
- > For clamping depths up to Ø 200 mm external, Ø 70-260 mm internal, and clamping reach up to 300 mm
- > In 3 of 4 spindles the spindle tip (ball/tip) can be rotated
- > Quick-release pulling legs with integral T-profile for a better transmission of force
- > The forged leg feet are very slim particularly suitable for barely accessible places
- > 2 rigid extensions each 100 and 150 mm with leg brake for quick adjustment of the legs
- > 1100 CT2-1.04/12A to retrofit existing L-BOXX®es 136
- > With Check-Tool insert for quick check of completeness
- > As tools are fully sunk in the foam, the equipped insert can be stacked
- > Insert for use in drawers with min. dimensions 400 x 310 x 90 mm



1100-1.04/12A



1100 CT2-1.04/12A



Contents	kg	Code	No.	Contents	kg	Code	No.
1x 1.04/1A	9.6	2927241	1100-1.04/12A	1x 1.04/1A	7.4	2927268	1100 CT2-1.04/12A
1x 1.04/2A				1x 1.04/2A			
2x 106/A-100-VB				2x 106/A-100-VB			
2x 106/B-150-VB				2x 106/B-150-VB			
1x 1.1406200				1x 1.1406200			
1x 1.2106350KS				1x 1.2106350KS			
+ 1100 L							

Description	W	D	H	kg	Code	No.
Foam insert 2/2 L-BOXX 136, empty	400	310	90	0.200	2927276	EI-1100 CT2-1.04/12A

**NEW**



**NEW**

# 1100-1.41/2A SEPARATOR AND PULLER SET

in L-BOXX® 136

- > For clamping depths from Ø 22 to 115 mm and clamping reach up to 295 mm
- > Incl. threaded inserts for internal threads M8-M18
- > For loosening and pulling tightly-seated parts e.g. taper roller bearings and inner bearing races
- > The clamping reach can be extended with extension rods 1.38/AV-FV from 195 to 295 mm
- > 1100 CT2-1.41/2A to retrofit existing L-BOXX®es 136
- > With Check-Tool insert for quick check of completeness
- > As tools are fully sunk in the foam, the equipped insert can be stacked
- > Insert for use in drawers with min. dimensions 400 x 310 x 60 mm



1100 CT2-1.41/2A



1100-1.41/2A

Contents		Code	No.	Contents		Code	No.
1x 1.38/2	11.5	2927284	1100-1.41/2A	1x 1.38/2	7.9	2927292	1100 CT2-1.41/2A
1x 1.40/2				1x 1.40/2			
1x 1.81/20				1x 1.81/20			
1x 1.38/CV				1x 1.38/CV			
+ 1100 L							
Description		Code	No.	Description		Code	No.
Foam insert 2/2 L-BOXX 136, empty	0.200	2927306		Foam insert 2/2 L-BOXX 136, empty	0.200	2927306	EI-1100 CT2-1.41/2A

# 1100-1.30 INTERNAL EXTRACTOR SET

in L-BOXX® 136, 7 pieces


- > For internal Ø 12 - 35 mm
- > For extremely-tightly-packed ball bearings, bearing races, bushings, and shaft seals Simmering®
- > Sliding hammer 1.7 kg and counter-support brace
- > 1100 CT2-1.30 to retrofit existing L-BOXX®es 136
- > With Check-Tool insert for quick check of completeness
- > As tools are fully sunk in the foam, the equipped insert can be stacked
- > Insert for use in drawers with min. dimensions 400 x 310 x 60 mm



1100-1.30



1100 CT2-1.30



Contents		Code	No.	Contents		Code	No.
1.30/2	7.2	2836041	1100-1.30	1.30/2	5.0	2836025	1100 CT2-1.30
1.30/3				1.30/3			
1.30/4				1.30/4			
1.30/4A				1.30/4A			
1.30/5				1.30/5			
1.36/1				1.36/1			
1.35/2				1.35/2			
+ 1100 L							
Description		Code	No.	Description		Code	No.
Foam insert 2/2 L-BOXX 136, empty	0.200	2836033		Foam insert 2/2 L-BOXX 136, empty	0.200	2836033	EI-1100 CT2-1.30

## 1100 CT1-7 COMBINATION SPANNER SET

in 1/2 L-BOXX® 136 Module, 12 pieces



Contents	kg	Code	No.
7 8 10 12 13 14 15 16 17 18 19 22 24	1.400	2835908	1100 CT1-7
Description	kg	Code	No.
Foam insert 1/2 L-BOXX 136, empty	0.100	2835924	EI-1100 CT1-7

## 1100 CT1-19 SOCKET SET 1/2"

in 1/2 L-BOXX® 136 Module, 21 pieces



Contents	kg	Code	No.
19 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 1993 U-20 1990 KR-5 -10	2.800	2836009	1100 CT1-19

Description	kg	Code	No.
Foam insert 1/2 L-BOXX 136, empty	0.130	2836017	EI-1100 CT1-19

## 1100 CT1-20 SOCKET SET 1/4"

in 1/2 L-BOXX® 136 Module, 44 pieces

> For universal use with sockets and bits



Contents	kg	Code	No.
20 4 5 5,5 6 7 8 9 10 11 12 13 2093 U-20 2090-4 699 620 676 680 4 4,5 5,5 6,5 8 685 3 4 5 6 8 10 690 1 2 3 690 PZD 1 2 3 687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40	0.700	2835886	1100 CT1-20
Description	kg	Code	No.
Foam insert 1/2 L-BOXX 136, empty	0.100	2835894	EI-1100 CT1-20

## 1100 CT1-350 CHISEL SET

in 1/2 L-BOXX® 136 Module, 9 pieces

> Club hammer ROTBAND-PLUS for powerful blows



Contents	kg	Code	No.
106 112-2508 110-256 620 E-1000	2.300	2835932	1100 CT1-350

Description	kg	Code	No.
Foam insert 1/2 L-BOXX 136, empty	0.100	2835959	EI-1100 CT1-350



## 1101-7-7 R RING SPANNER SET

in i-BOXX® 72, 15 pieces

- > Often used sizes as practical combination ratchet spanner
- > In GEDORE i-BOXX® 72 No. 1101 L
- > Dimensions: W 367 x D 316 x H 72 mm



## 1101-D 20 SOCKET SET 1/4"

in i-BOXX® 72, 58 pieces

- > For universal use with sockets and bits
- > In GEDORE i-BOXX® 72 No. 1101 L
- > Dimensions: W 367 x D 316 x H 72 mm



Contents	kg	Code	No.
7 R 10 13 17 19	2.900	2836114	1101-7-7 R
7 6 8 11 12 14 15 16 18 21 22 24			
+ 1101 L			

Contents	kg	Code	No.
D 20 4 4,5 5 5,5 6 7 8 9 10 11 12 13 14	2.000	2836165	1101-D 20
2093 U-20 2090-2 -4 2095			
620 676 673 6,3 699			
680 4 5,5 6,5 8			
685 3 4 5 6 8 10			
685 X 5 6 8			
690 1 2 3			
690 PZD 1 2 3			
687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40			
688 TX T10 T15 T20 T25 T27 T30 T40			
+ E-1101 BT			
+ 1101 L			

## 1101-19 SOCKET SET 1/2"

in i-BOXX® 72, 21 pieces

- > In GEDORE i-BOXX® 72 No. 1101 L
- > Dimensions: W 367 x D 316 x H 72 mm



## 1101-142-2150 PLIERS/SCREWDRIVER ASSORTMENT

in i-BOXX® 72, 9 pieces

- > In GEDORE i-BOXX® 72 No. 1101 L
- > Dimensions: W 367 x D 316 x H 72 mm



Contents	kg	Code	No.
19 8 9 10 11 12 13 14 15 16	4.050	2836084	1101-19
17 18 19 21 22 24 27 30 32			
1993 U-20			
1990 KR-5 -10			
+ 1101 L			

Contents	kg	Code	No.
2150 4 5,5 6,5	1.900	2836149	1101-142-2150
2160 PH 1 2			
4615 3			
8133-180 JC 8316-160 JC			
142 10 TL			
+ 1101 L			

NEW

# 1101-1.29/1K


## BALL BEARING EXTRACTOR SET

in i-BOXX® 72

- > Ball bearing extractor set for more than 30 ball bearings
- > For removing ball bearings that are both on a shaft and in a housing
- > Non-destructive removal of deep-groove ball bearings without dismantling the shaft; no necessity to drill open the bearing cage (no chippings)
- > With Check-Tool insert for quick check of completeness
- > Insert for use in drawers with min. dimensions 340 x 260 x 60 mm
- > In GEDORE i-BOXX® 72 No. 1101 L
- > Dimensions: W 367 x D 316 x H 72 mm





1101-1.29/1K



1101 CT-1.29/1K



Contents	for ball bearing No.		Code	No.
<b>2 Heads with spindle no. 1.29/1 + 1.29/3</b>	6000 6001 6002 6003 6004 6005 6006 6007	2.610	2963485	1101-1.29/1K
<b>5 Heads with spindle no. 1.29/10 - 1.29/35</b>	6008 6009 6010 6011 6012 6200 6201 6202			
<b>1 Handle no. 1.29/0</b>	6203 6204 6205 6206 6207 6300 6301 6302			
<b>2 Heads with spindle no. 1.29/1 + 1.29/3</b>	6303 6304 6305 6306 6307 6403 6404	1.750	2964414	1101 CT-1.29/1K
<b>5 Heads with spindle no. 1.29/10 - 1.29/35</b>				
<b>1 Handle no. 1.29/0</b>				

Description		Code	No.
<b>Foam insert i-BOXX 72, empty</b>	0.110	2964449	EI-1101 CT-1.29/3K

# 1101-1.29/3K

## BALL BEARING EXTRACTOR SET

in i-BOXX® 72

- > Ball bearing extractor set for more than 40 ball bearings
- > For removing ball bearings that are both on a shaft and in a housing
- > Non-destructive removal of deep-groove ball bearings without dismantling the shaft; no necessity to drill open the bearing cage (no chippings)
- > With Check-Tool insert for quick check of completeness
- > Insert for use in drawers with min. dimensions 340 x 260 x 60 mm
- > In GEDORE i-BOXX® 72 No. 1101 L
- > Dimensions: W 367 x D 316 x H 72 mm





1101-1.29/3K



1101 CT-1.29/3K



Contents	for ball bearing No.		Code	No.
<b>4 Heads with spindle no. 1.29/1 - 1.29/5</b>	6000 6001 6002 6003 6004 6005 6006 6007 6008 6009 6010 6011	5.780	2964392	1101-1.29/3K
<b>7 Heads with spindle no. 1.29/10 - 1.29/45</b>	6012 6200 6201 6202 6203 6204 6205 6206 6207 6208 6209 6210			
<b>1 Handle no. 1.29/0</b>	6211 6212 6213 6300 6301 6302 6303 6304 6305 6306 6307 6308			
<b>4 Heads with spindle no. 1.29/1 - 1.29/5</b>	6309 6310 6311 6403 6404 6405 6406 6407	4.920	2964430	1101 CT-1.29/3K
<b>7 Heads with spindle no. 1.29/10 - 1.29/45</b>				
<b>1 Handle no. 1.29/0</b>				

Description		Code	No.
<b>Foam insert i-BOXX 72, empty</b>	0.110	2964449	EI-1101 CT-1.29/3K

NEW

# 1100 W-001

## TOOL BOARD WITH PLIERS/ SCREWDRIVER ASSORTMENT

9 pieces

> To retrofit existing L-BOXX®es 136




# 1100 W-002 VDE

## TOOL BOARD WITH VDE PLIERS/ SCREWDRIVER ASSORTMENT

9 pieces

> To retrofit existing L-BOXX®es 136



Contents	Contents	⚖️	Code	No.
8133-180 JC	Assortment no. S 1100 W-001 + tool board no. ET-1100 W	1.500	2836181	1100 W-001
8316-180 JC				
142 10 TL				
2150 4 5,5 6,5				
2160 PH 1 2				
4615 3				
+ ET-1100 W				
8133-180 JC	Assortment without tool board	1.100	2836211	S 1100 W-001
8316-180 JC				
142 10 TL				
2150 4 5,5 6,5				
2160 PH 1 2				
4615 3				

Contents	Contents	⚖️	Code	No.
VDE 8314-160 H	Assortment no. S 1100 W-002 VDE + tool board no. ET- 1100 W	1.200	2836203	1100 W-002 VDE
VDE 8132-160 H				
VDE 2170 2,5 3,5 5,5				
VDE 2160 PH 1 2				
VDE 2160 PZ 1 2				
+ ET-1100 W				
VDE 8314-160 H	Assortment without tool board	0.800	2836238	S 1100 W-002 VDE
VDE 8132-160 H				
VDE 2170 2,5 3,5 5,5				
VDE 2160 PH 1 2				
VDE 2160 PZ 1 2				

1101-001

>425



1101-002

>423



1101-003 VDE

>587



1101-004

>425






## ET-1100 W LID TOOL BOARD

(without tools)

- > For or retrofittable for any L-BOXX®
- > Rubber straps and pockets for inserting tools
- > For orderliness and more storage space
- > Mounting material is included in delivery




W	D	H		Code	No.
375	20	310	0.400	2678322	ET-1100 W

## 1100 L GEDORE L-BOXX® 136 WITH EASY CARRY HANDLE

- > Rugged construction
- > Impact-resistant ABS plastic
- > Splash resistant
- > Top and front handle for variable transport of the L-BOXX®
- > With tool board for order and more storage space
- > Easy click plug-system: Practical plug connection for two or more L-BOXX®es, for secure grip and easy to carry
- > For integration in vehicles with Sortimo® vehicle equipment
- > External dimensions: W 442 x D 357 x H 151 mm
- > Internal dimensions: W 378 x D 311 x H 107 mm




W	D	H		Code	No.
442	357	151	2.2	2823691	1100 L

## 1100 R GEDORE L-BOXX® ROLLER

- > Practical, mobile trolley for all L-BOXX® types
- > Simply fit and click into place
- > Four swivel castors for self-assembly of which two have brakes
- > Load capacity up to 100 kg




W	D	H		Code	No.
646	492	184	3.8	2823756	1100 R

## 1101 K GEDORE I-BOXX® RACK ACTIVE

- > Shelf-like holder for any i-BOXX® 72 no. 1101 L (not included)
- > Easy click attaching system, thus compatible with the GEDORE L-BOXX® 136 no. 1100 L or with any other L-BOXX® on the market




W	D	H		Code	No.
442	357	100	1.100	2823713	1101 K

## 1101 L GEDORE I-BOXX® 72

- > Small parts case with transparent cover for getting an immediate impression
- > Ideal for keeping small parts and accessories
- > Optional inset boxes i3 for an individual range
- > Suitable for i-BOXX® Rack aktiv no. 1101 K
- > Comfort handle
- > Dimensions: W 367 x D 316 x H 72 mm




W	D	H		Code	No.
367	316	72	0.900	2823705	1101 L

## E-1101 BT GEDORE INSETBOX I3

- > For GEDORE i-BOXX® 72 no. 1101 L
- > For keeping small parts
- > Further subdivision possible with the 2 partitions



W	D	H		Code	No.
260	78	63	0.100	2840006	E-1101 BT

## 1102 L L-BOXX® MINI

- > Despite its small size the L-BOXX® Mini has all the practical functions of the well-liked L-BOXX® :
- > Two L-BOXX® Minis fit into an i-BOXX® 72

stackable, clicks into place with the others and has a practical handle.


It also has two removable partitions for housing incidental parts both easily and protectively.



## 1102 L GEDORE L-BOXX® MINI

- > Can be used together with the GEDORE BOXX®-system
- > Especially suitable for small tool sets
- > Also usable as small parts box, incl. divider set
- > Dimensions: W 260 x D 155 x H 63 mm



W	D	H		Code	No.
260	155	63	0.4	2950529	1102 L

### GEDORE L-BOXX® MINI



1102-001 >425



1102-003 >423



1102-002 VDE >588



1102-004 VDE >588



1102-007 >423



1102-008 >423



1102-005 VDE >588



1102-006 VDE >588

