




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

\land \Box	L
	Γ
	┝
	L









NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/201	19	
		CHECKED:	DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	TORONTO, ONTARIO CANADA	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 628-25W3624-5N1		ISSUE	
Y	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-25W	3624-5N1	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05

15.65



(1)



5W5 Male

COMPLIANT

3W3 / 3WK3

8W8 Male

63.50

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



Male/Female



Male/Female

16.6 1


		90 90 900 	15.65 15.55 15.55 15.55 15.55 15.55 15.55 15.55 15.55 15.55 15		N 2
		11\	N1 Male/Female		27W2 M
47.05 23.83 14.49 14.49 90 90 90 90 90 90 90 90 90 9	8W8 Female	**************************************			87 87
12	+	17\	W2 Male/Female		21W1 M
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ ØA		47.05 23.63 		284 284
				SW REFER	RENCE NO.:
		COMBINATIO	N D-SUB	DRAWN:	C.B
				CHECKED	c
ERIES FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE:	N.T.S

THIS SERIES THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
		DRAWN: C.B	DATE: JAN. 01/2019		
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4	
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-25W	3624-5N1	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-25W	3624-5N1	1	



23.53



 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male





36W4 Female



13W3 Male





51.00 30.50 13.72 16.62 5.74 15.24 1





13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 628 COMBO ASSEM			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAG INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 628-25773624-5N1		ISSUE
			PART NUMBER: 628-25W	3624-5N1	1