

| TOLERANCE UNLESS OTHERWISE SPECIFIED | | | | | |
|--|-------|--|--|--|--|
| .X | ±0.25 | | | | |
| .XX | ±0.13 | | | | |
| .XXX | ±0.05 | | | | |

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL





NOTES:

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0

SHELL: STEEL, Sn or Ni PLATED

CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT

SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min.

DIELECTRIC

WITHSTANDING VOLTAGE: 1000V AC rms



| \Box | |
|--------|--|
| | |

COMBINATION D-SUB



EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC..AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

| SW REFERENCE NO.: 629 COMBO ASSEMBLY | | |
|--------------------------------------|--------------------|--|
| DRAWN: C.B | DATE: JAN. 01/2019 | |
| CHECKED: | DATE: | |
| SCALE: (IN C.A.D. 1:1) | SHEET 1 OF 4 | |
| DRAWING NUMBER: 629-11W | 1240-5NA ISSUE | |

629-11W1240-5NA

PART NUMBER:



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

TOLERANCE UNLESS OTHERWISE SPECIFIED

.X ±0.25 .XX ±0.13 .XXX ±0.05

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER (1) ORIGINAL

00 2W2

(OO) o 2WK2

o(:o: 5W1

0000 3W3







11W1

0(00000) 5W5





13W3





000000:::



17W5

00000000 8W8



13W6



0000000

21W4









43W2

47W1

COMBINATION D-SUB



EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC..AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

| SW REFERENCE NO.: 629 C | V REFERENCE NO.: 629 COMBO ASSEMBLY | | |
|-------------------------|-------------------------------------|--|--|
| DRAWN: C.B | DATE: JAN. 01/2019 | | |
| CHECKED: | DATE: | | |
| SCALE: N.T.S | SHEET 2 OF 6 | | |
| DRAWING NUMBER: 629-11W | 1240-5NA ISSUE | | |

629-11W1240-5NA DRAWING NUMBER: PART NUMBER: 629-11W1240-5NA TOLERANCE UNLESS OTHERWISE SPECIFIED .X ±0.25 .XX ±0.13

.XXX ±0.05

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

24W7 Male/Female

21W4 Male/Female

27W2 Male/Female








PCB EDGE

PCB EDGE



5W5 Male







7W2 Male/Female




5W5 Female




8W8 Female



11W1 Male/Female




17W2 Male/Female




CURRENT RATING / ØA

10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



21W1 Male/Female



COMBINATION D-SUB




EDAC INC TORONTO, ONTARIO CANADA


THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC..AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.


| SW REFERENCE NO.: 629 COMBO ASSEMBLY | | | | | |
|--------------------------------------|--|--------|------|-------|----|
| DRAWN: C.B | | DATE: | JAN. | 01/20 | 19 |
| CHECKED: | | DATE: | | | |
| SCALE: N.T.S | | SHEET | 3 | OF | 4 |
| DRAWING NUMBER: 629-11W1240-5NA | | ISSLIE | | | |

629-11W1240-5NA DRAWING NUMBER: ISSUE PART NUMBER: 629-11W1240-5NA


THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.









YOUR CONNECTION TO QUALITY & SERVICE





629-11W1240-5NA

PART NUMBER:



MANUFACTURE OR SALE OF APPARATUS

WITHOUT WRITTEN PERMISSION.



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR ROHS COMPLIANCY.