



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

(1)





NOTES:

MATERIAL:

.X ±0.25

.XX ±0.13 .XXX ±0.05


HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE:


-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE:

	SW REFERENCE NO.: 627 COMBO ASSEMBLY			
COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20)19
			DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627W21W1224-4ND		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W	/21W1224-4ND	1




COMPLIANT






1000V AC rms



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

47.05

23.53

3W3 / 3WK3

5W1 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female





21W1 Male/Female

		11W	1 Male/Female
47.05 23.03 14.42 0 0 0 0 0 0 0 0 0 0 0 0 0	8W8 Female		33.30 34.50 35
	\mathbf{O}	17W.	2 Male/Female
CURRENT RATING	σ/ ψΑ		
10A / 2.2			†*************************************
20A / 3.3 30A / 3.7 40A / 4.2		40 10 10 10 10 10 10 10 10 10 10 10 10 10	
		COMBINATION	I D-SUB
SERIES FULLY CONFORMS TO EUROPEAN UNION DIRECTIVES I/65/EU FOR R₀HS COMPLIANCY.	EDAG	EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATI ARE THE PROPERTY OF EDAC INC., SHALL NOT BE REPRODUCED, OR CC OR USED AS THE BASIS FOR THE MANILEACTURE OF SALE OF EAPPAR.

YOUR CONNECTION TO QUALITY & SERVICE

THIS THE E 2011/65 COMPLIANT





ATIONS C.,AND COPIED MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

SW REFERENCE NO.: 627 C	OMBO ASSEMBLY		
DRAWN: C.B	DATE: JAN. 01/2019		
CHECKED:	DATE:		
SCALE: N.T.S	SHEET 3 OF 4		
DRAWING NUMBER: 627W21V	V1224-4ND ISSUE		
PART NUMBER: 627W21V	V1224-4ND 1		

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male










36W4 Female




13W3 Male











13W6 Male



43W2 Male





.X ±0.25 .XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female





47W1 Female




17W5 Male


COMPLIANT











		SW REFERENCE NO.: 627 C	627 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 627W21W1224-4ND		ISSUE
			PART NUMBER: 627W21	V1224-4ND	1





