


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.







(1)

ORIGINAL





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY					
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019				
		CHECKED:	DATE:				
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-5W5-	ISSUE			
			PART NUMBER: 628-5W5	-624-5N4	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

23.53

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



emale



emale

			33.30 4.865 16.85 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.2		
		11W1	Male/Female		27W2 Male/Fer
47.05 47.05 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49 4.14.49	/8 Female 31.75 22.83 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 31.75 22.87 31.75 31.75 22.87 31.75 31.75 22.87 31.75 31.75 31.75 31.75 22.87 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 31.75 3		33.30 16.65 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70		
		17W2	2 Male/Female		21W1 Male/Fer
CURRENT RATING / Ø 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	A		47.05 23.55 13.85 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47		
	COMBINA		D-SUB	SW REFE	C.B
			0-000	CHECKEE	
ERIES FULLY CONFORMS TO	EDAG ING		THESE DRAWINGS AND SPECIFICATIONS	SCALE:	N.T.S



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	SW REFERENCE NO.: 628 COMBO ASSEMBLY						
COMBINATION	D-SUB	DRAWN: C.B		DATE: 、	JAN. 01/	201	9
		CHECKED:		DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S		SHEET	3 C)F	4
TORONTO, ONTARIO CANADA		DRAWING NUMBER:	628-5W5-	624-5N4			ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER:	628-5W5-	624-5N4			1



8W8 Male

 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male




25W3 Male







36W4 Female



13W3 Male



36W4 Male







13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-5W5	-624-5N4	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-5W5	-624-5N4	1