ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INFORMATION OF THE STATE	Bannockb	urn, Illinois. A	ll rights reserved untions.	inder both	This docume level parts, tl	ent is a declar he declaratio	ration of the	e substances sses all lowe	within the r level mat	manufactur terials for wl	er listed it hich the m	em. No anufact	ote: if the turer has	item is an ass engineering 1	sembly with lowe responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information					
Supplier Information																
Company name* Com			Company unique ID U			Unique ID Authority					Response Date*					
onsemi											2023-06-08					
Contact Name Title - Contact				Ph			Phone - Contact*					Email - Contact*				
Product-Env-Stewards	Product Envir	uct Enviro Compliance			NA					Product-Env-Stewards@onsemi.com						
Authorized Representative* Title - Representative			sentative	e Pho			Phone - Representative*				Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com								
Requester Item Number	Mfr Item	Number Mfr Item Name				Effective Da	ate Versi	on	Manufacturing Site		V	Weight*		UOM	Unit Type	
	NCP1067	CP10672BD100R2G High-Voltage Sw SMPS		itcher for low Po	ower offline	2023-06-08	PH1			77.385			mg	Each		
Manufacturing Proccess Information	n															
Terminal Plating / Grid Array Materi	al To	erminal Base A	Alloy	J-STD-020 MSL Rating		Peak Process Body		y Temperatu	nperature Max Time at Peak		Temperature Numbe		umber of	Reflow Cyc	les	
Precious metal (e.g. Ag,Au, NiPdAu) (no CU A Sn)		U Alloy	1			260 C		С	30		second	seconds 3				
Comments									·							
evel 1 - maximum time at peak temperature	during sol	dering is 10-3	0 seconds													
or more information regarding material con	position p	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.65	mg	Supplier	Silicon (Si)	7440-21-3		2.65	mg
Die Attach	0.21	mg	Supplier	Silver (Ag)	7440-22-4		0.1575	mg
			Supplier	Epoxy resins	129915-35-1		0.0525	mg
Lead Frame	27.35	mg	Supplier	Zinc (Zn)	7440-66-6		0.0274	mg
			Supplier	Iron (Fe)	7439-89-6		0.6291	mg
			Supplier	Copper (Cu)	7440-50-8		26.6663	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0274	mg
Mold Compound-Black	46.76	mg		Epoxy resin	proprietary data		3.2732	mg
			Supplier	Phenolic Resin	Proprietary Data		3.2732	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		7.014	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2338	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		32.9658	mg
Plating	0.34	mg	Supplier	Palladium (Pd)	7440-05-3		0.0211	mg
			В	Nickel (Ni)	7440-02-0		0.3152	mg
			Supplier	Gold (Au)	7440-57-5		0.0036	mg
Wire Bond - Cu	0.075	mg	Supplier	Copper (Cu)	7440-50-8		0.075	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).