

Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

Protect It! 230V Surge Protector with 8 French/Belgian Outlets, French Plug, 2280 Joules, Tel/Coax Protection

MODEL NUMBER: TLP82NSATF



Description

Tripp Lite's Protect It!TM TLP82NSATF offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP82NSATF offers 8 French Type E outets and a 2 meter AC line cord. Internal safety covers protect against accidental contact with unused outlets.

Features

- Protect It!™ TLP82NSATF offers economical AC surge supression
- 2280 joules AC surge suppression shields equipment from surges and line noise
- 8 French Type E outlets protects computers and peripherals
- 2 m cord with French plug
- Lighted ON/OFF switch with circuit breaker
- Protected/Grounded LED's
- Network Protection
- Coax Protection
- Aerial Adapters
- Internal safety covers protect against accidental contact with unused outlets

Specifications

OVERVIEW	
UPC Code	037332145406

Highlights

- 8 safety outlets
- 2 m cord
- Network protection
- 1 Line coax protection
- Protected/Grounded LED's
- 2280 joule rating

Package Includes

- TLP82NSATF surge suppressor
- 1.8 aerial cable and 2 aerial adapters
- 1.8 m gold coax cable
- 1.8 m network cable
- Instruction manual and warranty information



OUTPUT		
Output (Watts)	2500	
Output Receptacles	(8) French/Belgian	
Circuit Breaker (amps)	10	
Transformer Accommodation	(5) Yes	
INPUT		
Nominal Input Voltage(s) Supported	230V AC	
Recommended Electrical Service	230V (220-250V)	
Maximum Input Amps	10	
Voltage Compatibility (VAC)	220-250	
Input Plug Type	French	
Input Cord Length (ft.)	6	
Right-Angle Plug	Yes	
Input Cord Length (m)	1.83	
Integrated Cord Clip	No	
USER INTERFACE, ALERTS & CON	TROLS	
Diagnostic LED(s)	Yes	
Diagnostic LED Details	Protected and Grounded	
SURGE / NOISE SUPPRESSION		
AC Suppression Joule Rating	2280	
Auto Shut-Off	No	
DATALINE SURGE SUPPRESSION		
Telephone/DSL Protection	Yes	
Cable (Coax) Protection	Yes	
Cable (Coax) Protection Details	1 line	
Network (Ethernet) Protection	Yes	
Network (Ethernet) Protection Details	1 line	
PHYSICAL		
Shipping Dimensions (hwd / in.)	14.80 x 7.50 x 2.25	
Shipping Dimensions (hwd / cm)	37.59 x 19.05 x 5.72	
Shipping Weight (lbs.)	2.30	



Shipping Weight (kg)	1.04	
Unit Dimensions (hwd / in.)	12.44 x 4.61 x 1.93	
Unit Dimensions (hwd / cm)	31.60 x 11.71 x 4.90	
Unit Weight (lbs.)	2.3	
Unit Weight (kg)	1.04	
Integrated Keyhole Mounting Slots	No	
Housing Color	Black	
Receptacle Color	Black	
Color (AC Line Cord)	Black	
Color	Black	
Anti-Microbial Protected	No	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2019 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies