

NOTES:

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 5µ GOLD PLATING

**OPERATING TEMPERATURE:** 

.XX ±0.13 .XXX ±0.05

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE:  $10m\Omega$  MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE:


1000V AC rms

				SW REFERENCE NO.: 627 COMBO ASSEMBLY				
COMBI			DRAWN: C.B		DATE: JAN. 01/2019		19	
			CHECKED:		DATE:			
EDAC	INC THESE DRAWINGS AND SPEC		SCALE: (IN C.A.D. 1	:1)	SHEET 1	OF	4	
YOUR CONNECTION TO QUALITY & SERVICE	DNTARIO SHALL NOT BE REPRODUCED DA OR USED AS THE BASIS FOR	D,OR COPIED	DRAWING NUMBER: 627W2W		K2124-2N2		ISSUE	
	ERVICE MANUFACTURE OR SALE OF WITHOUT WRITTEN PERMISS		PART NUMBER:	627W2WI	K2124-2N2		1	




THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

COMPLIANT

47.05

23.53

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female




27W2 Male/Female




21W1 Male/Female

	11W1	I Male/Female		
8W8 Fem	ale	33.30		
	17W2	2 Male/Female		
CURRENT RATING / ØA 10A / 2.2				
20A / 3.3	_	47.06 - 23.63		
30A / 3.7 40A / 4.2				
	COMBINATION D-SUB			
SERIES FULLY CONFORMS TO EUROPEAN UNION DIRECTIVES 1/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.		

THIS THE E 2011/65





SW REFERENCE NO.: 627 C	OMBO ASSEMBLY			
DRAWN: C.B	DATE: JAN. 01/2019			
CHECKED:	DATE:			
SCALE: N.T.S	SHEET 3 OF 4			
DRAWING NUMBER: 627W2WI	K2124-2N2 ISSUE			
PART NUMBER: 627W2WI	K2124-2N2 1			

63.50 31.75 22.97



 
 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25







25W3 Male










36W4 Female




13W3 Male











13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female




43W2 Female

47W1 Female




17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 627W2W	K2124-2N2	ISSUE
			PART NUMBER: 627W2W	K2124-2N2	1

