


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


ORIGINAL

(1)





NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF 4 SCALE: (IN C.A.D. 1:1) SHEET 1 EDAC INC ARE THE PROPERTY OF EDAC INC., AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 628-17W2622-2TA ISSUE DRAWING NUMBER: OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE PART NUMBER: 628-17W2622-2TA WITHOUT WRITTEN PERMISSION.





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

3W3 / 3WK3

8W8 Male

83.50

31.76

5W1 Male/Female

7W2 Male/Female

김 역






(1)

21W4 Male/Female



W2 Male/Female



W1 Male/Female

| | | und and a set of the | his der | | Þ |
|--|------------|--|--|---------|---|
| | | 11W | 1 Male/Female | | 27W2 |
| | 8W8 Female | | | | |
| 47.06 23.53 14.48 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | | | 12 12 12 12 12 12 12 12 12 12 12 12 12 1 |
| | | 17W | 2 Male/Female | | 21W |
| CURRENT RATIN | G / ØA | | | | |
| 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 | | | | | 1 |
| | | | | SW REFE | RENCE |
| | | COMBINATION D-SUB | | DRAWN: | C.B |
| | | 11W1 Male/Fem. male | | CHECKED |): |
| RIES FULLY CONFORMS TO | | | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: | N.T.S |
| | | TODONITO ONITADIO | | 1 | |



THIS SERI THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

| | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | | |
|--------------------------------------|---|-------------------------|------------|-------|--|
| COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 |)19 | | |
| | CHECKED: | DATE: | | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: N.T.S | SHEET 3 OF | 4 | |
| TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 628-17W | /2622-2TA | ISSUE | |
| YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 628-17W | /2622-2TA | 1 | |



47.05

23.53

14.48



 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male




25W3 Male



47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.



36W4 Female



13W3 Male





51.00 30.50 13.72 15.52





13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







| | | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | |
|---|--|--|--------------------------------------|------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | | CHECKED: | DATE: | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| | | | DRAWING NUMBER: 628-17W2622-2TA | | ISSUE |
| | | | PART NUMBER: 628-17W | 2622-2TA | 1 |