

## Specification Sheet

Part Number: 596-00380



Terminal Block Labels, .38" wide, PE, White, 100 ft/roll

**Article Number**

596-00380

**Type**

TBL375

**Color**

White (WH)

**Features & Benefits**

- Label stock for use with thermal transfer printers.
- Strong acrylic adhesive for industrial applications.
- Abrasion and chemical resistant top coat for long lasting results.
- For use with HellermannTyton thermal transfer printers or most standard brands.

**Quantity Per**

roll

**Product Description**

To suit different industrial applications, HellermannTyton offers a wide variety of thermal transfer label stocks including polyester, metalized polyester, clear polyester, cloth, polyimide and Durattach high density polyolefin. Thermal transfer labels include a strong acrylic adhesive and abrasion and chemical resistant top coatings for long lasting results. Easily print custom labels and variable information with HellermannTyton TagPrint® Pro labeling software and a thermal transfer printer.

<b>Short Description</b>	Terminal Block Labels, .38" wide, PE, White, 100 ft/roll
<b>Global Part Name</b>	TBL375-PE-WH
<b>Technical Description</b>	Terminal Block label, .375" wide, PE, White
<b>Length L (Imperial)</b>	100.0
<b>Length L (Metric)</b>	30.48
<b>Width W (Imperial)</b>	0.375
<b>Width W (Metric)</b>	9.5
<b>Thickness T (Metric)</b>	64.0
<b>Material</b>	Polyethylene (PE)
<b>Material Shortcut</b>	PE
<b>Adhesive</b>	Rubber
<b>Halogen free</b>	No
<b>Adhesive Operating Temperature</b>	-40°F to +176°F (-40°C to +80°C)
<b>Operating Temperature (Metric)</b>	-40°F to +176°F (-40°C to +80°C)
<b>Reach Complaint(Article 33)</b>	Yes

**ROHS Complaint**

Yes

**Package Quantity(Imperial)**

100

**Package Quantity (Metric)**

30.48

**Customs Number**

3919102055

**Labels per Column**

1

**Labels per Row**

1

**Weight (Metric)**

0.68

**Weight (Imperial)**

1.48