

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



Product / Process Change Notification (PCN)

- Major change
 Minor change

PCN #: PCN_UtOLPI MID_20210312

Affected Series: UtOLPI MID; 750811630

PCN Date: February 12, 2021

Effective Date: March 12, 2021

Change Category:

- Equipment / Location
 General Data
 Material
 Process
 Product Design
 Shipping / Packaging
 Supplier
 Software

Contact: Product Management

Phone: +49 (0) 7942 - 945 5001

Fax: +49 (0) 7942 - 945 5179

E-Mail: pcn.eisos@we-online.com

Data Sheet Change:

- Yes No

Attachment:

- Yes No

DESCRIPTION AND PURPOSE OF CHANGE:

For improved transportation safety, Würth Elektronik will be changing the tray and outside shipping box used on 750811630. Please note 750811630 will change from revision 6F to 6G.

All products with date code 2021-02-01 or later, will be affected by this change.

There will be no change in form, fit, function, quality or reliability of the product.

DETAIL OF CHANGE:

Please see the details below and on the next page for the before changes (shown in red) and after changes (shown in green) of this packaging.

	Before Change	After Change
Tray Quantity	55 pcs	42 pcs
Length of Tray	349 mm	323 mm
Width of Tray	222 mm	323 mm
Height of Tray	51 mm	40 mm
Box Quantity	165 pcs	210 pcs
Length of Outer box	356 mm	330 mm
Width of Outer box	238 mm	330 mm
Height of Outer box	178 mm	213 mm



Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49(0)79 42 945-0 · Fax +49(0)79 42 945-400

eiSos@we-online.de · www.we-online.de



Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



RELIABILITY / QUALIFICATION SUMMARY:

There will be no change of the product, therefore no additional reliability or qualification testing will be performed. Product approval is according to the specification and is internally released by the Product Management Department.