

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018692](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Backplane Module Installation Press-In Tool for 2-Pair by 10-Column Assemblies

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

| | |
|--------------------------------|---|
| Product Family | Application Tooling |
| Series | 207123 |
| Comments | See Tooling Specification (PDF) Above, See Tooling Specification (PDF) Above |
| Function | Insertion |
| Geographic Area | Global |
| Level of Automation | Manual |
| More Detailed Tech Information | applicationtooling@molex.com |
| Overview | Application Tooling |
| Product Name | Impact |
| Tool Type | Press-Fit Insertion Tool |
| UPC | 883906498795 |
| Warranty Disclaimer | CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified. |


Physical

Net Weight 57.020/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-622018692, TM-622018799](#)



EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per - ED/21/2016 (20 June 2016)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

China RoHS

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

[207123 Series](#)

Use With

Impact 2 Pair Vertical Backplane Header [76455](#)

Application Tooling | [FAQ](#)

Description

Product #

Impact 100 Ohm [764551104](#)

2 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 60 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free

Impact 100 Ohm [764551105](#)

2 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 60 Circuits,

Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764551106

2 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 60 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764551107

2 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764551108

2 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764551117

2 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10

Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 764551118

2 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10

Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764551124

2 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10

Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764551125
2 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764551127
2 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764551128
2 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764551137
2 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 764551138
2 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764553104
2 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764553106
2 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10

Columns, 60 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764553107

2 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10

Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764553108

2 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10

Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764555104

2 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10

Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764555106

2 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10

Columns, 60 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764555107

2 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10

Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764555108

2 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10

Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764557106
2 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764557107
2 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764557108
2 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764559104
2 Pair Vertical
Backplane Header,
Right Guide,
Left Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764559107
2 Pair Vertical
Backplane Header,
Right Guide,
Left Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764559108
2 Pair Vertical
Backplane Header,
Right Guide,
Left Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free