

Mounting Option

08-#4-40 Unified Threaded Inserts

Contact Detail

520-P.C. Tail .030x.018(0.76x0.46) - Tail LG=.185(4.70) .100 [2.54] Contact Spacing x .200 [5.08] Row Spacing





See Accompanying Pages for: Contact Bend Details

Mounting Options



.240 [6.10] Point of Contact-



YOUR CONNECTION TO QUALITY & SERVICE

	ACAD REFERENCE NO	842 ENG MASTER			
	DRAWN: J.LEE	DATE: OCT. 06/09			
	CHECKED:	DATE:			
	SCALE: NTS	SHEET 1 OF 3			
)	DRAWING NUMBER	ISSUE			

SECTION A-A

842 Assembly

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER

ORIGINAL (1)



842/892 Series High Temp C	ACAD REFERENCE NO. 842 ENG MASTER				
Contact Bend Detail			J.LEE	DATE: OC	T. 06/09
Confider bend beidii		CHECKE):	DATE:	
EDAC INC	TORONTO, ONTARIO CANADA ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIE OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS		NTS	SHEET :	2 OF 3
			NUMBER		ISSUE
			842 Assembly		

THIS IS A C.A.D. GENERATED DRAWING
DO NOT MAKE MANUAL REVISIONS TO MASTER



ISSUE NUMBER

ORIGINAL

1



842/892 Series High Temp Card Edge Co Mounting Options	DRAWN: J.LEE DATE: OCT. 06/09 CHECKED: DATE:
EDAC INC THESE DRAWINGS AND S ARE THE PROPERTY OF	
	DUCED,OR COPIED DRAWING NUMBER ISSUE
YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMI	