

# 6-Outlet Surge Protector, USB Charging, French Type E Outlets, 220-250V, 16A, 1.8 m Cord, Type E Plug, White

# MODEL NUMBER: TLP6F18USB



6-outlet surge protector with USB-A charging ports safeguards your home/office electronics against dangerous surges, spikes and line noise.

### Features

6-Outlet Surge Protector Safeguards Your Sensitive Electronics Against Power Fluctuations Ideal for your home or office workstation, this Protect It!® 6-outlet surge protector features a surge suppression rating of 250 joules and provides protection in line-to-neutral (L-N) mode to defend your sensitive electronic components against power surges and spikes.

**Charges 2 Mobile Devices with 2.1A of Shared Power**In addition to AC outlets, this power strip provides USB charging for up to two mobile devices, including smartphones, tablets and e-readers. The USB-A ports eliminate the need for AC adapters for charging cords, leaving outlets available for AC equipment.

**French Type E Outlets Accept a Wide Range of Electronic Devices**Plug your PC, printer, scanner, router, modem, television, stereo receiver or other home/office electronics into six Type E outlets to protect them against dangerous surges, spikes and line noise. The 1.8-meter AC power cord with space-saving right-angle Type E plug helps you connect the surge protector to a wall outlet located behind furniture.

**Premium Protection from EMI/RFI Line Noise Helps Your Equipment Perform Better** Various electromagnetic and radio sources found in virtually every home and business can cause disruptive interference on the AC line. Known as EMI (electromagnetic interference) and RFI (radio frequency interference), this line noise is a common cause of performance problems. This surge protector filters out disruptive line noise that can disturb your electronics and inflict hardware damage or data loss. This EMI/RFI filtering also helps your connected components perform better and last longer.

**Premium Safety Features for Protecting Your Valuable Equipment**In the event of an overload, a 16amp circuit breaker immediately shuts down the power strip to prevent equipment damage. The highimpact plastic housing is designed for the rigors of everyday use.

# **Specifications**

## Highlights

- 6 French Type E outlets distribute power to appliances, tools and other electronics
- Right-angle Type E plug permits connection in confined or hard-to-reach spaces
- 250 joules protect your valuable electronics against dangerous surges and spikes
- 2 USB-A ports share 2.1A of power for charging phones, tablets and other mobile devices
- 16A circuit breaker shuts down all outlets for safety in case of overload

### Applications

- Protect computers, peripherals, home theater equipment and other valuable electronics against AC power surges and spikes
- Filter potentially damaging line noise to improve connected equipment's performance and lifespan
- Safeguard valuable data against damage stemming from unexpected surges
- Charge a smartphone and tablet without taking up available AC outlets

### Package Includes

• TLP6F18USB 6-Outlet Surge Protector, French Type E Outlets, White



| OVERVIEW                           |                              |
|------------------------------------|------------------------------|
| UPC Code                           | 037332251510                 |
| Product Type                       | Surge Protector              |
| Charging Form Factor               | Strip                        |
| Device Compatibility               | Phone; Tablet; Amazon Kindle |
| INPUT                              |                              |
| Nominal Input Voltage(s) Supported | 230V AC                      |
| Recommended Electrical Service     | 230V (220-250V)              |
| Voltage Compatibility (VAC)        | 220-250                      |
| Maximum Surge Amps                 | 250                          |
| Input Plug Type                    | French                       |
| Input Cord Length (ft.)            | 6                            |
| Right-Angle Plug                   | Yes                          |
| Input Cord Length (m)              | 1.83                         |
| Integrated Cord Clip               | No                           |
| OUTPUT                             |                              |
| Frequency Compatibility            | 50 / 60 Hz                   |
| Output Receptacles                 | (6) French/Belgian           |
| Circuit Breaker (amps)             | 16                           |
| Overload Protection                | combo switch/circuit breaker |
| Outlet Orientation                 | right-angled                 |
| Right-Angle Outlets                | Yes                          |
| USER INTERFACE, ALERTS & CONTROLS  |                              |
| Diagnostic LED(s)                  | Yes                          |
| Switches                           | Two position power switch    |
| CHARGING                           |                              |
| Number of Charging Ports           | 2                            |
| Total Charging Amps                | 2.1A                         |
| Total Charging Watts               | 10.5                         |
| Charging Method                    | USB                          |
| Charging Port Type                 | USB A (FEMALE)               |
| Charging Ports / Amps              | (2) 2.1A                     |



| Overcharge Protection                  | No                        |  |
|--|---------------------------|--|
|  |                           |  |
| SURGE / NOISE SUPPRESSION              |                           |  |
| AC Suppression Joule Rating            | 250                       |  |
| Protection Modes                       | L-N                       |  |
| Automatic Shut-Off                     | No                        |  |
| DATALINE SURGE SUPPRESSION             |                           |  |
| Cable (Coax) Protection                | No                        |  |
| Network (Ethernet) Protection          | No                        |  |
| Telephone/DSL Protection               | No                        |  |
| PHYSICAL                               |                           |  |
| Material of Construction               | Plastic                   |  |
| Antimicrobial                          | No                        |  |
| Power Cord Color                       | White                     |  |
| Housing Color                          | White                     |  |
| Mounting Holes or Slots                | Yes                       |  |
| Receptacle Color                       | White                     |  |
| Shipping Dimensions (hwd / cm)         | 48.26 x 8.64 x 5.08       |  |
| Shipping Dimensions (hwd / in.)        | 19.00 x 3.40 x 2.00       |  |
| Shipping Weight (kg)                   | 0.63                      |  |
| Shipping Weight (lbs.)                 | 1.39                      |  |
| FEATURES & SPECIFICATIONS              |                           |  |
| Rotatable Outlets                      | No                        |  |
| GaN Technology                         | No                        |  |
| STANDARDS & COMPLIANCE                 |                           |  |
| Approvals                              | CE, RoHS AND REACH        |  |
| WARRANTY                               |                           |  |
| Product Warranty Period<br>(Worldwide) | Lifetime limited warranty |  |

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies