



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

(1)





'd d d d


NOTES:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|--|--------------------------------------|--|---------------------------------|------------------|-------|
| | | | DRAWN: C.B | DATE: JAN. 01/20 | 19 |
| | | | CHECKED: | DATE: | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 |
| | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 628-43W2222-2T2 | | ISSUE |
| | YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: 628-43W | 2222-2T2 | 1 |






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED ORIGINAL DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male


5W5 Female

3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female




27W2 Male/Female





21W1 Male/Female

16.5

| el Less | | |
|---|--|---|
| | 11W1 | I Male/Female |
| 47.05 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 0 0 0 0 0 0 0 0 0 0 0 0 0 | | 2 Male/Female |
| 20A / 3.3 30A / 3.7 40A / 4.2 | | |
| | COMBINATION | I D-SUB |
| S SERIES FULLY CONFORMS TO E EUROPEAN UNION DIRECTIVES 1/65/EU FOR RoHS COMPLIANCY. | EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATION ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIE OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATU WITHOUT WRITTEN PERMISSION. |








| C INC), ONTARIO IADA 4 SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. |
|--|---|

| SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|--------------------------------------|--------------|---|--|
| DRAWN: C.B DATE: JAN. 01/2019 | | | |
| CHECKED: | DATE: | | |
| SCALE: N.T.S | SHEET 3 OF 4 | | |
| DRAWING NUMBER: 628-43W2222-2T2 | | Ξ | |
| PART NUMBER: 628-43W2222-2T2 | | | |



8W8 Male

63.50 31.76

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male










36W4 Female





13W3 Male











13W6 Male



43W2 Male






.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female






47W1 Female



17W5 Male


COMPLIANT






2.77







| | COMBINATION D-SUB | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | |
|--|--------------------------------------|--|--------------------------------------|------------------|-------|
| | | | DRAWN: C.B | DATE: JAN. 01/20 | 19 |
| | | | CHECKED: | DATE: | |
| THIS SERIES FULLY CONFORMS TO | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | YOUR CONNECTION TO QUALITY & SERVICE | | DRAWING NUMBER: 628-43W2222-2T2 | | ISSUE |
| | | | PART NUMBER: 628-43W2222-2T2 | | 1 |