



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL (1)





NOTES:

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | | |
|--|--|---|-------------------------|--------------------|-------|--|
| | | | DRAWN: C.B | DATE: JAN. 01/2019 | | |
| | | | CHECKED: | DATE: | | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 | |
| | EDEC INC TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 628-43W | 2224-2N2 | ISSUE | |
| | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 628-43W | 2224-2N2 | 1 | |




THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

53.30

5W1 Male/Female

7W2 Male/Female





(1)

1


21W4 Male/Female




| | | | | | ese |
|--|---------------|--|-------------------------|---|-------|
| | | 11W1 Male/Female | 27W2 Male/Femal | e | |
| 47.06 23.83 14.48 14.48 90 90 90 90 90 90 90 90 90 90 | 8W8 Female | | | €3.50 31.75 + + + + + + + + + + + + + + + + + + + | |
| | | 17W2 Male/Female | 21W1 Male/Femal | e | |
| CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 | σ <i>Ι</i> ΦΑ | $\frac{1}{1000} + \frac{1}{1000} + 1$ | | | |
| | | | SW REFERENCE NO.: 628 C | COMBO ASSEMBLY | |
| | COMBIN | ATION D-SUB | | | 019 |
| | | | | | |
| HIS SERIES FULLY CONFORMS TO | | ARE THE PROPERTY OF EDAC INC., AND | | | |
| | | | DRAWING NUMBER: 628-43W | 2224-2N2 | ISSUE |

5W5 Male

5W5 Female



8W8 Male





2011/65/EU FOR RoHS COMPLIANCY.

| | | SW REFERENCE NO .: | 628 C | OMBO ASS | EMBLY | |
|--------------------------------------|--|--------------------|---------|----------|----------|-----|
| COMBINATION D-SUB | | DRAWN: C.B | | DATE: J | AN. 01/2 | 019 |
| | | CHECKED: | | DATE: | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: N.T.S | | SHEET | 3 OF | 4 |
| TORONTO, ONTARIO CANADA | OR USED AS THE BASIS FOR THE | DRAWING NUMBER: | 628-43W | 2224-2N2 | | ISS |
| YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: | 628-43W | 2224-2N2 | | |

 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25







25W3 Male










36W4 Female




13W3 Male












13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female





47W1 Female




17W5 Male


COMPLIANT











| | COMBINATION D-SUB | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | |
|-------------------------------|--------------------------------------|---|--------------------------------------|------------------|-------|
| | | | DRAWN: C.B | DATE: JAN. 01/20 | 19 |
| | | CHECKED: | DATE: | | |
| THIS SERIES FULLY CONFORMS TO | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND | SCALE: N.T.S | SHEET 4 OF | 4 |
| THE EUROPEAN UNION DIRECTIVES | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 628-43W2224-2N2 | | ISSUE |
| | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 628-43W | 2224-2N2 | 1 |