


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER ORIGINAL (1)









NOTES:

MATERIAL:

.X ±0.25

.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 15µ GOLD PLATING

OPERATING TEMPERATURE:

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


		SW REFERENCE NO.: 627 COMBO ASSEMBLY				
COMBINATION	COMBINATION D-SUB		DRAWN: C.B		DATE: JAN. 01/201	
			CHECKED:		DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1	OF	4
TORONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627W7W2		2-322-4N2		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER:	627W7W2	2-322-4N2		1



COMPLIANT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female




27W2 Male/Female





21W1 Male/Female

16.62

		11W1 Male/Female		
e 8W	/8 Female	33.30		
47.06 23.63 14.45 14.45 0 0 0 0 0 0 0 0 0 0 0 0 0				
		17W2 Male/Female		
CURRENT RATING / ϕ	A			
10A / 2.2		47.05		
20A / 3.3 30A / 3.7 40A / 4.2				
	COMBIN	COMBINATION D-SUB		
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAG I TORONTO, C YOUR CONNECTION TO QUALITY & SI	ONTARIO OA OA OA OA OA OA OA OA OA OA OA OA OA		








SW REFERENCE NO.: 627 C	OMBO ASSEMBLY		
DRAWN: C.B	DATE: JAN. 01/2019		
CHECKED:	DATE:		
SCALE: N.T.S	SHEET 3 OF 4		
DRAWING NUMBER: 627W7W2	2-322-4N2 ISSUE		
PART NUMBER: 627W7W2	2-322-4N2 1		


5W5 Male


5W5 Female

COMPLIANT



8W8 Male





11W1 Male/Female

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male



47.00

23.53







36W4 Female




13W3 Male


3

3











13W6 Male



43W2 Male








43W2 Female

47W1 Female




17W5 Male


COMPLIANT











			SW REFERENCE NO.: 627 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 627W7W	2-322-4N2	ISSUE
			PART NUMBER: 627W7W	2-322-4N2	1



17W5 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



