




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER







NOTES:

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	EDAC INC TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-27W2224-7TD		ISSUE	
YOUR CC	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-27W	2224-7TD	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

3W3 / 3WK3

8W8 Male

5W1 Male/Female





21W4 Male/Female



ale/Female



lale/Female




		11W1 Male/Female	27W2 Mal
8W8 Fer	male 31.75 72.43 72.43 72.43 72.45 72.4	33.30 33.30 9.70 9.70 4.44 9.70	
CURRENT RATING / ØA		17W2 Male/Female	21W1 Mal
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.05 23.65 13.85 0.70 0.7	284 142
		SW REFERENCE NO.:	
	COMBINA	DRAWN: C.B	
			CHECKED:
ULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S
AN UNION DIRECTIVES R RoHS COMPLIANCY.		OR USED AS THE BASIS FOR THE	DRAWING NUMBER:
	YOUR CONNECTION TO QUALITY & SER'	VICE MANUFACTURE OR SALE OF APPARATUS	PART NUMBER:




THIS SERIES FU THE EUROPEAN UNION DI 2011/65/EU FOR RoHS COMPLIANCY.

¢	0	\oplus	1932B

7W2 Male/Female



63.50




WITHOUT WRITTEN PERMISSION.

628 COMBO ASSEMBLY

DATE: JAN. 01/2019 DATE: SHEET 3 OF 4 628-27W2224-7TD ISSUE 1 PART NUMBER: 628-27W2224-7TD



23.53



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 원 2.77





13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male

COMPLIANT











17W5 Female





		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628-27W2224-7TD		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-27W	2224-7TD	1