

Page 1 of 5 SDS-E-CCS502

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 3.1 SDS Revision Date: 11/1/2018

duct Name: emical Name: emical Name: emical Name: emical Name: emical Name: emical Name: ele Names: duct Use: emicutor's Name: emicutor's Address: ergency Phone: einess Phone / Fax: eard Identification: el Elements: er Warnings:	NA CAIG Brand CAIG Brand Electronics C CAIG Labora 12200 Thatcl CHEMTRI +1 (800) 224 This product classification WARNING! Classification Hazard State Precautionar EYES: Rinse to do. Contin	atories, Inc. her Court, Poway, EC: +1 (703) 5 -4123	CA 92064-68 27-3887 / · ZARDS I ed as a HA C: 1088 (2004 RITATION. - Causes eye : P264 - Was vater for sever +P313 - If eye HILDREN.	876 USA +1 (800) DENTIL ZARDOUS 4) and ADO e irritation. sh thorough ral minutes we irritation	FICATI S SUBSTA Code (At	OO (CCION) ANCE or ustralia). andling.	N XXX as DA P305+ lenses,	ANGEI	ROUS -P338 sent ar		PS acc	ording to the
onyms: de Names: dduct Use: tributor's Name: tributor's Address: ergency Phone: iness Phone / Fax: eard Identification: el Elements: er Warnings:	CAIG Brand CAIG Brand Electronics C CAIG Labora 12200 Thatc 12200 Thatc CHEMTRI +1 (800) 224 This product classification WARNING! Classification Hazard State Precautionar EYES: Rinse to do. Contin KEEP OUT (3. C	Screen Cleaner Cleaner Stories, Inc. her Court, Poway, EC: +1 (703) 5 -4123 2. HAZ t is NOT classific criteria of NOHSC CAUSES EYE IR EYE Eye Irrit. 2B Ements (H): H320 y Statements (P): e cautiously with water insing. P337 DF REACH OF Cl	ZARDS I ed as a HA. C: 1088 (2004 RITATION. - Causes eye : P264 - Was vater for sever +P313 - If eye HILDREN.	DENTII ZARDOUS 4) and ADO e irritation. sh thoroug ral minutes re irritation	FICATI S SUBSTA S Code (Au hily after h	ON ANCE or ustralia). andling.e contact	P305+ lenses,	NGEI	-P338 sent ar		OS acc	ording to the
de Names: duct Use: tributor's Name: tributor's Address: ergency Phone: iness Phone / Fax: and Identification: el Elements: er Warnings:	CAIG Brand Electronics C CAIG Labora 12200 Thatcl CHEMTRI +1 (800) 224 This product classification WARNING! Classification Hazard State Precautionar EYES: Rinse to do. Contir KEEP OUT C 3. C	Screen Cleaner Cleaner Stories, Inc. her Court, Poway, EC: +1 (703) 5 -4123 2. HAZ t is NOT classific criteria of NOHSC CAUSES EYE IR EYE Eye Irrit. 2B Ements (H): H320 y Statements (P): e cautiously with water insing. P337 DF REACH OF Cl	ZARDS I ed as a HA. C: 1088 (2004 RITATION. - Causes eye : P264 - Was vater for sever +P313 - If eye HILDREN.	DENTII ZARDOUS 4) and ADO e irritation. sh thoroug ral minutes re irritation	FICATI S SUBSTA S Code (Au hily after h	ON ANCE or ustralia). andling.e contact	P305+ lenses,	NGEI	-P338 sent ar		OS acc	ording to t
duct Use: tributor's Name: tributor's Name: tributor's Address: ergency Phone: iness Phone / Fax: trand Identification: el Elements: er Warnings:	This product classification WARNING! Classification Hazard State Precautionar EYES: Rinse to do. Contin	Cleaner Intories, Inc. Inc. Inc. Inc. Inc. Inc. Inc. Inc.	ZARDS I ed as a HA. C: 1088 (2004 RITATION. - Causes eye : P264 - Was vater for sever +P313 - If eye HILDREN.	DENTII ZARDOUS 4) and ADO e irritation. sh thoroug ral minutes re irritation	FICATI S SUBSTA S Code (Au hily after h	ON ANCE or ustralia). andling.e contact	P305+ lenses,	NGEI	-P338 sent ar		oS acc	ording to t
tributor's Name: tributor's Address: ergency Phone: iness Phone / Fax: trid Identification: el Elements: er Warnings:	CAIG Labora 12200 Thatcl CHEMTRI +1 (800) 224 This product classification WARNING! Classification Hazard State Precautionar EYES: Rinse to do. Contin KEEP OUT (tories, Inc. her Court, Poway, EC: +1 (703) 5 -4123 2. HAZ t is NOT classific criteria of NOHSC CAUSES EYE IR EYE Eye Irrit. 2B Ements (H): H320 y Statements (P): c cautiously with water insing. P337 DF REACH OF CI	ZARDS I ed as a HA. C: 1088 (2004 RITATION. - Causes eye : P264 - Was vater for sever +P313 - If eye HILDREN.	DENTII ZARDOUS 4) and ADO e irritation. sh thoroug ral minutes re irritation	FICATI S SUBSTA S Code (Au hily after h	ON ANCE or ustralia). andling.e contact	P305+ lenses,	NGEI	-P338 sent ar		OS acc	ording to t
iributor's Address: ergency Phone: iness Phone / Fax: ard Identification: el Elements: er Warnings:	This product classification WARNING! Classification Hazard State Precautionar EYES: Rinse to do. Contin KEEP OUT (t is NOT classification of NOHSC CAUSES EYE IR Eye Irrit. 2B Ements (H): H320 y Statements (P): cautiously with where rinsing. P337 DF REACH OF CI	ZARDS I ed as a HA. C: 1088 (2004 RITATION. - Causes eye : P264 - Was vater for sever +P313 - If eye HILDREN.	DENTII ZARDOUS 4) and ADO e irritation. sh thoroug ral minutes re irritation	FICATI S SUBSTA S Code (Au hily after h	ON ANCE or ustralia). andling.e contact	P305+ lenses,	NGEI	-P338 sent ar		oS acc	ording to t
ergency Phone: iness Phone / Fax: card Identification: el Elements: er Warnings:	This product classification WARNING! Classification Hazard State Precautionar EYES: Rinse to do. Contin KEEP OUT (2. HAZ t is NOT classification of NOHSC CAUSES EYE IR Eye Irrit. 2B Ements (H): H320 y Statements (P): c cautiously with where rinsing. P337 DF REACH OF CI	ZARDS I ed as a HA. C: 1088 (2004 RITATION. - Causes eye : P264 - Was vater for sever +P313 - If eye HILDREN.	DENTII ZARDOUS 4) and ADO e irritation. sh thoroug ral minutes re irritation	FICATI S SUBSTA S Code (Au hily after h	ON ANCE or ustralia). andling.e contact	P305+ lenses,	NGEI	-P338 sent ar		os acc	ording to 1
iness Phone / Fax: card Identification: el Elements: er Warnings:	This product classification WARNING! Classification Hazard State Precautionar EYES: Rinse to do. Contin KEEP OUT (CAS No.	2. HAZ t is NOT classification of NOHSC CAUSES EYE IR EYE Irrit. 2B ements (H): H320 y Statements (P): cautiously with water insing. P337 DF REACH OF CI	ZARDS I ed as a HA. C: 1088 (2004 RITATION. - Causes eye : P264 - Was //ater for sever +P313 - If ey HILDREN.	DENTII ZARDOUS 4) and ADO e irritation. sh thoroug ral minutes ve irritation	FICATI S SUBSTA S Code (Au hily after h	ON ANCE or ustralia). andling.e contact	P305+ lenses,	NGEI	-P338 sent ar		OS acc	ording to
er Warnings:	This product classification WARNING! Classification Hazard State Precautionar EYES: Rinse to do. Contin KEEP OUT (2. HAZE t is NOT classific criteria of NOHSIC CAUSES EYE IR 12: Eye Irrit. 2B ements (H): H320 y Statements (P): e cautiously with whate rinsing. P337 DF REACH OF CI	ed as a HA. C: 1088 (2004 RITATION. – Causes eye : P264 – Was vater for sever +P313 – If ey HILDREN.	ZARDOUS and ADO irritation. the thorough ral minutes irritation	S SUBSTA G Code (Au hly after h Remove persists: (ANCE or ustralia). andling. contact Get media	P305+ lenses,	P351+	-P338 sent ar		S acc	ording to t
el Elements: er Warnings:	classification WARNING! Classificatior Hazard State Precautionar EYES: Rinse to do. Contin KEEP OUT (t is NOT classific criteria of NOHS(CAUSES EYE IR 1: Eye Irrit. 2B 2: Eye Irrit. 2B 2: Eye Irrit. 4B 2: Eye Irrit. 4B 2: Eye Irrit. 5B 2: Eye Irrit. 6B 2: Eye Irrit. 7B 2: Eye Irrit. 7B 2: Eye Irrit. 7B 3: Eye	ed as a HA. C: 1088 (2004 RITATION. – Causes eye : P264 – Was vater for sever +P313 – If ey HILDREN.	ZARDOUS and ADO irritation. the thorough ral minutes irritation	S SUBSTA G Code (Au hly after h Remove persists: (ANCE or ustralia). andling. contact Get media	P305+ lenses,	P351+	-P338 sent ar		S acc	ording to 1
el Elements: er Warnings:	classification WARNING! Classificatior Hazard State Precautionar EYES: Rinse to do. Contin KEEP OUT (t is NOT classific criteria of NOHS(CAUSES EYE IR 1: Eye Irrit. 2B 2: Eye Irrit. 2B 2: Eye Irrit. 4B 2: Eye Irrit. 4B 2: Eye Irrit. 5B 2: Eye Irrit. 6B 2: Eye Irrit. 7B 2: Eye Irrit. 7B 2: Eye Irrit. 7B 3: Eye	ed as a HA. C: 1088 (2004 RITATION. – Causes eye : P264 – Was vater for sever +P313 – If ey HILDREN.	ZARDOUS and ADO irritation. the thorough ral minutes irritation	S SUBSTA G Code (Au hly after h Remove persists: (ANCE or ustralia). andling. contact Get media	P305+ lenses,	P351+	-P338 sent ar		S acc	ording to 1
er Warnings:	classification WARNING! Classificatior Hazard State Precautionar EYES: Rinse to do. Contin KEEP OUT (criteria of NOHSC CAUSES EYE IR EYE Irrit. 2B EMENTS (H): H320 Y Statements (P): Cautiously with water insing. P337 OF REACH OF CI	C: 1088 (2004 RITATION. - Causes eye : P264 - Was vater for seven +P313 - If ey HILDREN.	e irritation. sh thorough	Code (Au hly after h Remove persists: (ustralia). andling. e contact Get medic	P305+ lenses,	P351+	-P338 sent ar		1	
er Warnings:	WARNING! Classification Hazard State Precautionar EYES: Rinse to do. Contin KEEP OUT (CAUSES EYE IR a: Eye Irrit. 2B ements (H): H320 y Statements (P): e cautiously with wance rinsing. P337 OF REACH OF CI	RITATION. - Causes eye P264 - Was vater for seven +P313 - If ey HILDREN.	e irritation. sh thoroug ral minutes re irritation	hly after h . Remove persists: (andling. e contact Get medic	lenses,	if pres	sent ar	_ IE IN	1	
er Warnings:	Hazard State Precautionar EYES: Rinse to do. Contin KEEP OUT (ements (H): H320 y Statements (P): e cautiously with w nue rinsing. P337 OF REACH OF CI	: P264 – Was /ater for sever +P313 – If ey HILDREN.	sh thoroug ral minutes re irritation	. Remove persists: (e contact Get medio	lenses,	if pres	sent ar	_ IE IN		
er Warnings:	Precautionar EYES: Rinse to do. Contir KEEP OUT (y Statements (P): e cautiously with w nue rinsing. P337 OF REACH OF C	: P264 – Was /ater for sever +P313 – If ey HILDREN.	sh thoroug ral minutes re irritation	. Remove persists: (e contact Get medio	lenses,	if pres	sent ar	_ IE INI		
NAME(S)	EYES: Rinse to do. Contin KEEP OUT (cautiously with white rinsing. P337 OF REACH OF C	vater for sever +P313 – If ey HILDREN.	ral minutes e irritation	. Remove persists: (e contact Get medio	lenses,	if pres	sent ar	_ IF IN		
NAME(S)	3. C	nue rinsing. P337 OF REACH OF C	+P313 – If ey HILDREN.	e irritation	persists: (Get medio						
NAME(S)	3. C	OF REACH OF C	HILDREN.				zai auvio	ceralle		nd easy		
NAME(S)	3. C			GREDIE	NT IN	FORM			ention.			
	CAS No.	OMPOSITIO	ON & ING	REDIE	NT IN	FORM						
							IATIO	ON				
								URE LI	MITS IN	AIR (mg/n	n³)	
					ACGIH		NOHSC			OSHA		
					ppm		ppm			ppm		
	7732-18-5	RTECS No.	EINECS No.	%	TLV ST	EL TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
		ZC0110000	231-191-2	60-100	NE N	E NF	NF	NF	NE	NE	NE	
			Т	1								
ARY MIXTURE	NA	NA	NA	NA	NA N	IA NF	NF	NF	NA	NA	NA	
	Eye Irrit. 2E	o, mozu										
		Λ F	IRST All	D MEA	SURF	2						
t Aid:	Ingestion:						en sw	allowe	d drir	nk nleni	ty of y	water or m
	Ingestion: If ingested, do not induce vomiting. If product IMMEDIATELY. If the patient is vomiting, continu						r water	or mil	k. Ne	ver give	water	or milk to
		unconscious per	rson. Contact	t the neare	st Poison	Control	Center of	or loca	al emer	rgency i	numbe	r. Provide
	estimate of the time at which the material was ingested and the amount of the substance that wa											
	F	swallowed.	- 4 - 191 - 15 - 15 - 15 - 15 - 15 - 15 - 1			to the	a.					- 6 la da
	Eyes:	Splashes are no water for at least							itn cop	nous an	nounts	of lukewa
	Skin [.]								lush sk	in with i	olenty	of water for
	<u> </u>										,,,,,	
	Inhalation:	Remove victim to	o fresh air at o	once. If br	eathing dif	fficult, ad	minister	oxyge	en. If b	oreathin	g stop	s give
ects of Exposure:	Ingestion:											
	Eyes:		iting to the ey	es. Symp	toms of o	verexpos	sure ma	y inclu	ude red	dness, i	tching	, irritation a
	Clains	•	to akin. The	nraduat a	an aauaa	allaraia a	lin roo	otiono	/o. a	raches	wolto	dorm otitio)
	SKIII.	, ,		product c	an cause	allergic s	KIII IEa	CHOIS	(e.g.,	iasiies,	weits,	uemains)
	Inhalation:		i idi viddalə.									
nptoms of Overexposure:	<u> </u>		al discomfort	vomitina	and/or diar	rhea						
·							erina.					
								nd irrit	tation o	of affect	ted are	eas. Frosth
	I —											
		individuals.	·				`					,
			directed. Mo	oderate irr	tation to	eyes and	d skin i	near a	affected	d areas	. Add	litionally, h
ite Health Effects:	Non-irritating	when used as		ness dizzin								
	concentration	ns of vapors can c			may triac	or oothe	na-like s	-, , , , , , , , , , , , , , , , , , ,		some 9		
	of Exposure:	of Exposure: Ingestion: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Skin:	Skin: Wash thoroughly least 15 minutes Inhalation: Remove victim t artificial respiration: If product is swatering. Skin: Moderately irritary watering. Skin: May be irritating some sensitive i Inhalation: None expected. Ingestion: Nausea, intestin Eyes: Overexposure in Skin: Symptoms of skilike symptoms. individuals. Health Effects: Non-irritating when used as	Skin: Wash thoroughly with soap at least 15 minutes. Inhalation: Remove victim to fresh air at artificial respiration. Keep pe of Exposure: Ingestion: If product is swallowed, may of Moderately irritating to the evaluating. Skin: May be irritating to skin. The some sensitive individuals. Inhalation: None expected. Ingestion: Nausea, intestinal discomfort. Eyes: Overexposure in eyes may can skin: Symptoms of skin overexpositive symptoms. The production individuals. Health Effects: Non-irritating when used as directed. Moderately with soap at least 15 minutes. Ingestion: Symptoms of skin overexpositive individuals.	Skin: Wash thoroughly with soap and water. I least 15 minutes. Inhalation: Remove victim to fresh air at once. If brartificial respiration. Keep person warm, Ingestion: If product is swallowed, may cause nause Moderately irritating to the eyes. Sympwatering. Skin: May be irritating to skin. The product of some sensitive individuals. Inhalation: None expected. Ingestion: Nausea, intestinal discomfort, vomiting at Eyes: Overexposure in eyes may cause rednersed. Skin: Symptoms of skin overexposure may in like symptoms. The product can cause individuals. Non-irritating when used as directed. Moderate irrit concentrations of vapors can cause drowsiness, dizzin	Skin: Wash thoroughly with soap and water. In case of least 15 minutes. Remove victim to fresh air at once. If breathing disartificial respiration. Keep person warm, quiet and artificial respiration. Keep person warm, quiet and Ingestion: If product is swallowed, may cause nausea, vomiting to the eyes. Symptoms of owatering. Skin: Moderately irritating to the eyes. Symptoms of owatering. May be irritating to skin. The product can cause some sensitive individuals. Inhalation: None expected. Ingestion: Nausea, intestinal discomfort, vomiting and/or diar Eyes: Overexposure in eyes may cause redness, itching Skin: Symptoms of skin overexposure may include red like symptoms. The product can cause allergic individuals. Non-irritating when used as directed. Moderate irritation to concentrations of vapors can cause drowsiness, dizziness, head	Skin: Wash thoroughly with soap and water. In case of contact, least 15 minutes. Remove victim to fresh air at once. If breathing difficult, ad artificial respiration. Keep person warm, quiet and get med artificial respiration. Keep person warm, quiet and get med of Exposure: Ingestion: If product is swallowed, may cause nausea, vomiting and/or Eyes: Moderately irritating to the eyes. Symptoms of overexposivatering. Skin: May be irritating to skin. The product can cause allergic some sensitive individuals. Inhalation: None expected. Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. Eyes: Overexposure in eyes may cause redness, itching and water Skin: Symptoms of skin overexposure may include redness, itchike symptoms. The product can cause allergic skin real individuals. Non-irritating when used as directed. Moderate irritation to eyes and concentrations of vapors can cause drowsiness, dizziness, headaches are	Skin: Wash thoroughly with soap and water. In case of contact, immedialeast 15 minutes. Inhalation: Remove victim to fresh air at once. If breathing difficult, administer artificial respiration. Keep person warm, quiet and get medical atteractions. Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhed watering. Skin: May be irritating to the eyes. Symptoms of overexposure may watering. Skin: May be irritating to skin. The product can cause allergic skin reasome sensitive individuals. Inhalation: None expected. Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. Eyes: Overexposure in eyes may cause redness, itching and watering. Skin: Symptoms of skin overexposure may include redness, itching, a like symptoms. The product can cause allergic skin reactions of individuals. Non-irritating when used as directed. Moderate irritation to eyes and skin concentrations of vapors can cause drowsiness, dizziness, headaches and nause.	Skin: Wash thoroughly with soap and water. In case of contact, immediately fileast 15 minutes. Inhalation: Remove victim to fresh air at once. If breathing difficult, administer oxygrartificial respiration. Keep person warm, quiet and get medical attention. Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to the eyes. Symptoms of overexposure may inclusivatering. Skin: May be irritating to skin. The product can cause allergic skin reactions some sensitive individuals. Inhalation: None expected. Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. Eyes: Overexposure in eyes may cause redness, itching and watering. Skin: Symptoms of skin overexposure may include redness, itching, and irrit like symptoms. The product can cause allergic skin reactions (e.g., individuals. Non-irritating when used as directed. Moderate irritation to eyes and skin near a concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.	Skin: Wash thoroughly with soap and water. In case of contact, immediately flush sk least 15 minutes. Inhalation: Remove victim to fresh air at once. If breathing difficult, administer oxygen. If the artificial respiration. Keep person warm, quiet and get medical attention. Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include reconstruction. Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., some sensitive individuals. Inhalation: None expected. Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. Eyes: Overexposure in eyes may cause redness, itching and watering. Skin: Symptoms of skin overexposure may include redness, itching, and irritation of like symptoms. The product can cause allergic skin reactions (e.g., rashes individuals. Non-irritating when used as directed. Moderate irritation to eyes and skin near affected concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.	Skin: Wash thoroughly with soap and water. In case of contact, immediately flush skin with least 15 minutes. Inhalation: Remove victim to fresh air at once. If breathing difficult, administer oxygen. If breathing artificial respiration. Keep person warm, quiet and get medical attention. Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, i watering. Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, some sensitive individuals. Inhalation: None expected. Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. Eyes: Overexposure in eyes may cause redness, itching and watering. Skin: Symptoms of skin overexposure may include redness, itching, and irritation of affect like symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, individuals. Non-irritating when used as directed. Moderate irritation to eyes and skin near affected areas concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.	Skin: Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of least 15 minutes. Inhalation: Remove victim to fresh air at once. If breathing difficult, administer oxygen. If breathing stops artificial respiration. Keep person warm, quiet and get medical attention. Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, watering. Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, some sensitive individuals. Inhalation: None expected. Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. Eyes: Overexposure in eyes may cause redness, itching and watering. Skin: Symptoms of skin overexposure may include redness, itching, and irritation of affected are like symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, derma individuals. Non-irritating when used as directed. Moderate irritation to eyes and skin near affected areas. Additional concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.



Page 2 of 5

SDS-E-CCS502

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 3.1 SDS Revision Date: 11/1/2018 4. FIRST AID MEASURES - cont'd Target Organs Eyes, Skin 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin). **FLAMMABILITY** 0 0 **PHYSICAL HAZARDS** PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high 5.1 temperatures to form toxic gases (e.g., CO,CO_x) Extinguishing Methods: 5.2 Water, Foam, CO₂, Dry Chemical. Use water spray to cool unopened containers. 5.3 Firefighting Procedures: Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as "speedy dry" to soak up material. Sweep up material using non-sparking materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Special Precautions: 7.3 Clean all spills promptly. Spilled material may present a slipping hazard 8. EXPOSURE CONTROLS & PERSONAL PROTECTION ACGIH NOHSC OSHA OTHER Exposure Limits: 8.1 ppm (mg/m³) FS-FS-STEL IDLH CHEMICAL NAME(S) STEL ES-TWA STEL NA NA NF NF NF NA NA NA 8.2 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure Controls: that an eyewash station, sink or washbasin is available in case of exposure to eyes 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. Eye Protection: AVOID EYE CONTACT DUE TO IRRITATION POTENTIAL. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling large quantities (e.g., ≥ 1 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. Hand Protection: 8.5 None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA



Page 3 of 5 SDS-E-CCS502

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 3.1 SDS Revision Date: 11/1/2018

Пор	area to Oor 171, 7100, 71110	SI, NOTISC, WEINING, SETS & 12/2/2000/EC Standards SDS Nevision. S.1 SDS Nevision Date. 11/1/2016
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Milky white liquid
9.2	Odor:	No odor
9.3	Odor Threshold:	NA NA
9.4	pH:	NA NA
9.5	Melting Point/Freezing Point:	NA NA
9.6	Initial Boiling Point/Boiling	NA NA
9.7	Range: Flashpoint:	NA NA
9.8	Upper/Lower Flammability	
	Limits:	NA
9.9	Vapor Pressure:	NA
9.10	Vapor Density: Relative Density:	NA NA
9.11	Solubility:	NA Calable
9.12	Partition Coefficient (log Pow):	Soluble NA
9.14	Autoignition Temperature:	NA NA
9.15	Decomposition Temperature:	NA NA
9.16	Viscosity:	NA NA
9.17	Other Information:	NA NA
	<u> </u>	10. STABILITY & REACTIVITY
10.1	Stability:	Stable under normal conditions; unstable with heat or contamination.
10.2	Hazardous Decomposition	Oxides of carbon (CO, CO ₂).
10.3	Products: Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks, high heat, incompatible substances and direct sunlight.
10.5	Incompatible Substances:	Avoid extreme heat and ignition sources. Store away from oxidizers.
		TAVOID OALOTHO HOUL DIE GENERAL GENERA
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: NO
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is
		available for some of the components of the product and is not presented in this document.
11.3	Acute Toxicity:	See Section 4.4
11.4	Chronic Toxicity:	This material may aggravate any pre-existing skin condition (e.g., dermatitis).
11.5	Suspected Carcinogen:	This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
11.7	Reproductive Toxicity: Irritancy of Product:	This product is not reported to cause reproductive effects in humans.
11.7	Biological Exposure Indices:	See Section 4.2
11.9	Physician Recommendations:	NE Treat symptomatically.
	yorolan r tocommondations.	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	13. DISPOSAL CONSIDERATIONS Products covered by this SDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations.



Page 4 of 5 SDS-E-CCS502

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 3.1 SDS Revision Date: 11/1/2018

14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): NOT REGULATED 14.4 TDGR (Canadian GND): **NOT REGULATED** ADR/RID (EU): 14.5 **NOT REGULATED** SCT (MEXICO): 14.6 **NOT REGULATED** ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting Requirements: 15.1 This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. SARA TPQ: 15.2 There are no specific Threshold Planning Quantities for the components of this product. TSCA Inventory Status: 15.3 The components of this product are listed on the TSCA Inventory. CERCLA Reportable Quantity: 154 15.5 Other Federal Requirements: NA Other Canadian Regulations: 15.6 This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Other Requirements: 15.8 16. OTHER INFORMATION WARNING! CAUSES EYE IRRITATION. Use only as directed. Keep out of reach of children. Avoid contact with eyes. 16.1 Other Information: In case of accident or if you feel unwell seek medical advice immediately (show the label where possible). If skin irritation occurs: get medical advice/attention. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: CAIG Laboratories, Inc. 12200 Thatcher Court Powav. CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/ 16.5 Prepared by: ShipMate. Inc. P.O. Box 787

Sisters, Oregon 97759-0787 USA

Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 5 of 5

SDS-E-CCS502

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.1

SDS Revision Date: 11/1/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С	ELA		
D	ELA		
Е			
F	(Eller)	H.	

G				
Н			H.	
ı				
J			T	
K	9		(
X	Consult y special h	our supe andling d	rvisor or irections.	SOPs for



OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition	
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ ~~~ ~~
₩	Use No Water	HEALTH
OX	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(A)	(2)		\odot	(49)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond	A PARTIES AND A		\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment