




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER










MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE:  $10m\Omega$  MAX. INSULATOR RESISTANCE:  $5000M\Omega$  min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 C	OMBO ASSEMBLY	Y			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019					
		CHECKED:	DATE:					
	EDAC INC	ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4			
			DRAWING NUMBER: 628-25W	ISSUE				
		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-25W	3224-4N1	1			





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05

15.65

6.85



(1)



5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

63.50

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



Male/Female



Male/Female

		and as a series			777 777
		11	W1 Male/Female		27W2 M
47.06 23.03 14.48 90 90 90 90 90 90 90 90 90 90 90 90 90	8W8 Female		33.30 10.65 9.70 8.31 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70		
1		17	W2 Male/Female		21W1 M
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	/ ØA		47.00 23.03 		244
				SW REFE	RENCE NO.
		COMBINATION D-SUB			C.B
				CHECKED	):
ERIES FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE:	N.T.S



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

			SW REFE	RENCE NO.:	628 C	OMBO ASS	SEMBL	Y			
COMBINATION D-SUB		DRAWN:	C.B		DATE: JAN. 01/2019						
			CHECKEI	D:		DATE:					
EDAC II	NC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE:	N.T.S		SHEET	3 (	DF	4		
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING	G NUMBER:	628-25W3	3224-4N1			ISSUE		
YOUR CONNECTION TO QUALITY & SERVICE		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NU	MBER:	628-25W3	3224-4N1			1		

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male



47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.



36W4 Female



13W3 Male





51.00 30.50 13.72 16.62 5.74 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 1





13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female


47W1 Female





17W5 Male











		SW REFERENCE NO.: 62	28 COMBO ASSEMBLY	MBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	019			
		CHECKED:	DATE:				
ORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4		
IRECTIVES MPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-2	5W3224-4N1	ISSUE		
MIFLIANCI.		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-2	5W3224-4N1	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.