


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


ORIGINAL

(1)





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF SCALE: (IN C.A.D. 1:1) SHEET 1 4 EDAC INC ARE THE PROPERTY OF EDAC INC. AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 628-17W2224-4N4 ISSUE DRAWING NUMBER: OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE PART NUMBER: 628-17W2224-4N4 WITHOUT WRITTEN PERMISSION.





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)



5W5 Male

5W5 Female

3W3 / 3WK3

5W1 Male/Female





21W4 Male/Female



2 Male/Female



Male/Female


| | | • | 132 | HALL CONTRACTOR |
|--|---|-------------------|--|---|
| | | 11W1 | 1 Male/Female | 27W2 |
| 47.08 | W8 Female 53.50 53.50 53.50 53.50 72.87 72.87 72.97 | • | 33.30 10.65 9.70 | 75 75 75 75 75 75 75 75 75 75 75 75 75 7 |
| .893. | a34 7.64 | 17W2 | 2 Male/Female | 21W1 |
| CURRENT RATING / | ØA | | | |
| 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 | | #7 #7 | | |
| | | | | SW REFERENCE N |
| | СОМВ | COMBINATION D-SUB | | |
| | | | 1 | CHECKED: |
| ERIES FULLY CONFORMS TO | EDA | C INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: N.T.S |

47.05

23.53

8W8 Male

63.50



7W2 Male/Female

THIS SERIES THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

| | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|--|---|---------------------------------|------------|-------|
| COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | CHECKED: | DATE: | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: N.T.S | SHEET 3 OF | 4 |
| EDAC INC TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 628-17W2224-4N4 | | ISSUE |
| YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 628-17W | 2224-4N4 | 1 |

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 목





13W6 Male



43W2 Male





.X ±0.25 .XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female


47W1 Female



17W5 Male












2.77

| | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|--------------------------------------|---|---------------------------------|------------|-------|
| COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | CHECKED: | DATE: | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: N.T.S | SHEET 4 OF | 4 |
| TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 628-17W2224-4N4 | | ISSUE |
| YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 628-17W | 2224-4N4 | 1 |

17W5 Female





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT