



90 Degree	60 Degree	Corner Blocks with One Row Aluminum Rollers
80-591A	80-161-A	Corner Block - Single



Aerial Cable Placement Tools

Making Cable Placement Easier

With guidance from professional linemen, Jameson developed cable placement tools for fiber optic and coaxial cable installation and maintenance. Working from the ground or in the air, our tools make cable construction easier and safer.

Corner Blocks

Corner blocks evenly distribute pressure on coax or fiber cable when pulling around corners. Steel side plates with straight base act as a strut for increased strength.

60 degree model offers more versatility than standard 45 degree blocks.

Steel side plates can be replaced in the field.

17" bend radius



Nylon axle bushings provide easier swivel and longer axle life. Adjustable keeper arm holds cable in place as it is pulled through block.

Aluminum rollers reduce friction, preventing potential heat build up and damage to synthetic rollers.

Pole Mount Brackets

Designed to save vertical space on crowded joint occupied poles, brackets are ideal for mounting corner blocks.

Nylon strap and ratchet make brackets easy to use and bracket is contoured to fit pole for maximum stability.

Ratchet strap will not damage existing cables and weighs less than chain straps. Can be adjusted to work from right or left hand side for convenient operation.



70-101Use With Single Row Corner Block



70-102Use With Dual Row Corner Block



70-104Use With Quad Row
Corner Block



Easy Rider™

Jameson overlash blocks are economical and lightweight, yet the high strength steel frame maintains cable alignment.

Easily snaps over a strand and cable package up to 2.25" in diameter. The 1.5" width provides convenient stacking when pushed by lasher.

Features a high, rounded bonnet to prevent block kicking under lasher. Stacks evenly. Non-binding roller axle allows rollers to "ride easily" and rotate smoothly.



90-400A Easy Rider™ with Aluminum Roller



90-400 Easy Rider® with Nylon Roller

Versa™ Blocks

Versa[™] Blocks offer the versatility of stringing cable at midspan on new and existing overlash construction.

Offers easy cable placement from aerial buckets or the ground when used with Jameson lay-up sticks and wire raising tool.

Low profile frame reduces cable damage as it passes through block and wide keeper arm accommodates large cable bundles when used as overlash block.



90-100 Versa[™] Block with Rubber Roller For up to 1.5" cables.



90-100A

Versa™ Block with

Aluminum Roller

For up to 2.5" diameter cable or bundles and winch lines.





Pole Tag

For outside plant pole record systems.



Part Number	Aerial Tools	
GTS2	Pole Tags for continuing property records	