



TOLERANCE UNLESS OTHERWISE SPECIFIED .X ±0.25 .XX ±0.13 .XXX ±0.05

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL (1)





NOTES:

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 30µ GOLD PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| COMBINATION D-SUB | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | | |
|--|--|--------------------------------------|------------------|-------|--|--|
| | | DRAWN: C.B | DATE: JAN. 01/20 | 19 | | |
| | | | DATE: | | | |
| EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 | | |
| | | DRAWING NUMBER: 630W5W | 1-640-4N3 | ISSUE | | |
| | | PART NUMBER: 630W5W | 1-640-4N3 | 1 | | |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

| W REFERENCE NO.: 630 COMBO ASSEMBLY | | | | | |
|-------------------------------------|--|--------------------|----|----|---|
| RAWN: C.B | | DATE: JAN. 01/2019 | | | |
| HECKED: | | DATE: | | | |
| CALE: (IN C.A.D. 1:1) | | SHEET | 1 | OF | 4 |
| RAWING NUMBER: 630W5W1-640-4N3 | | ISSUE | | | |
| ART NUMBER: 630W5W1-640 | | 1-640-4N | 13 | | 1 |
| | | | | | |





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL (1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female






5W5 Male



PCB EDGE

8W8 Male





PCB EDGE




PCB EDGE

5W5 Female



8W8 Female







11W1 Male/Female










CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT




PCB EDGE





27W2 Male/Female

21W4 Male/Female



21W1 Male/Female

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.


















13W3 Male






25W3 Male






24.77




31.75

36W4 Female



13W6 Male





30.50

2.77

22.16

20.78

13W6 Female

13W3 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05

43W2 Female




17W5 Male


COMPLIANT













20.70

13.72

PCB EDGE



PCB EDGE



| | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | |
|---|--------------------------------------|--|------------------------|------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | | CHECKED: | DATE: | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| | TORONTO, ONTARIO CANADA | | DRAWING NUMBER: 630W5W | 1-640-4N3 | ISSUE |
| | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 630W5W | 1-640-4N3 | 1 |