Würth Elektronik eiSos GmbH & Co. KG EMC & Inductive Solutions

$$\label{eq:max-ey} \begin{split} \text{Max-Eyth-Straße 1} & \cdot \text{74638 Waldenburg} \cdot \text{Germany} \\ \text{Tel.} & +49 \text{ (0)} \text{ 79} \text{ 42} \text{ 945-0} \cdot \text{Fax} & +49 \text{ (0)} \text{ 79} \text{ 42} \text{ 945-400} \\ \text{eiSos@we-online.de} & \cdot \text{www.we-online.de} \end{split}$$



Product / F □ Major change □ Minor change	Process Change Notificati	on (PCN)				
PCN #:	PCN_SwTATV_20190917	Change Category:				
Affected Series:	430 1X6 XXX 7X6	☐ Equipment / Location☐ General Data☐ Material				
PCN Date:	June 17, 2019	☐ Process				
Effective Date:	September 17, 2019	□ Product Design☑ Shipping / Packaging□ Supplier				
Contact:	Product Management	Data Sheet Change:				
Phone:	+49 (0) 7942 - 945 5001	□ Yes ⊠ No				
Fax:	+49 (0) 7942 - 945 5179	Attachment:				
E-Mail:	pcn.eican@we-online.com	☐ Yes				
DESCRIPTION AND PURPOSE OF CHANGE:						
Due to packaging optimizations, Würth Elektronik will change the packaging of series WS-TATV.						
All products with date code 2019-09-17 or later, will be affected by this change.						
There will be no change in form, fit, function, quality or reliability of the product.						
DETAIL OF CHANGE:						
The inner box and carton packaging quantity will change as detailed in the table below. But the size for both						

outer carton and inner box are remain no change.

Würth Elektronik eiSos GmbH & Co. KG **EMC & Inductive Solutions**

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400 eiSos@we-online.de \cdot www.we-online.de



CHANGES FOR PN: 430 1X6 XXX 7X6

Old Packaging











PN: 430 1X6 XXX 7X6	Unit	Old Packaging	New Packaging	
Standard Packaging Quantity	(SPQ)	pcs	200	200
Number of bags in inner box		pcs	4	8
Number of inner box in outer carton		pcs	6	6
Carton Packaging Quantity	(CPQ)	pcs	4800	<mark>9600</mark>
Dimension of the inner box	(LxWxH)	mm	260 x 145 x 100	260 x 145 x 100
Dimension of the outer carton	(LxWxH)	mm	475 x 270 x 225	475 x 270 x 225

RELIABILITY / QUALIFICATION SUMMARY:

Process / Product approval is according to internal requirements released by the Total Quality Department and the Product Management Department.