**PHŒNIX CONTACT**

# Thermal transfer printer - THERMOMARK GO.K - 1184146

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Mobile thermal transfer printer for marking materials in cartridge format. The printer can print materials in continuous format up to a material width of 24 mm.

## Product Description

The THERMOMARK GO.K handheld printer is ideal for fast marking on site. The thermal transfer printer is robust, easy to use, and offers versatile functions. It processes continuous media for terminal marking, cable and wire marking, equipment marking, and plant marking.

### Your advantages

☑ Maintenance-free operation with proven thermal transfer printing technology

☑ Alternative, easy control with PROJECT COMPLETE software

☑ Printing of self-adhesive and non-adhesive labels as well as shrink sleeves

☑ The THERMOMARK GO.K prints materials in cartridge format, which contain the material to be marked and the appropriate ink ribbon.

☑ Intuitive user guidance thanks to a well-structured menu and direct input keys

☑ 8 different bar codes and over 300 symbols can be integrated; up to 20 projects can be created and stored directly on the device.

**RoHS**

## Key Commercial Data

| Packing unit | 1 pc |
|---|---|
| GTIN | 4 063151 223441 |
| GTIN | 4063151223441 |
| Weight per Piece (excluding packing) | 840.000 g |
| Custom tariff number | 84433210 |
| Country of origin | China |

## Technical data

### General

| Interface | USB |
|---|---|

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Technical data

### General

| Weight | 667 g |
|--------|-------|

### Dimensions

| Length | 230 mm |
|--------|--------|
| Height | 69 mm |
| Width | 98 mm |

### Connection data

| Minimum voltage | 100 V AC |
|-----------------|----------|
| Max. voltage | 240 V AC |
| Additional text | 50 Hz ... 60 Hz |

### Environmental Product Compliance

| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|------------|---------------------------------------------------------|
| | No hazardous substances above threshold values |

## Classifications

### eCl@ss

| eCl@ss 11.0 | 19140104 |
|-------------|----------|
| eCl@ss 4.0 | 24010400 |
| eCl@ss 4.1 | 24010400 |
| eCl@ss 5.0 | 19020200 |
| eCl@ss 5.1 | 19020200 |
| eCl@ss 6.0 | 19140100 |
| eCl@ss 7.0 | 19140104 |
| eCl@ss 9.0 | 19140104 |

### ETIM

| ETIM 2.0 | EC000761 |
|----------|----------|
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC001672 |
| ETIM 6.0 | EC001672 |
| ETIM 7.0 | EC001672 |

### UNSPSC

| UNSPSC 6.01 | 43172501 |
|-------------|----------|
| UNSPSC 7.0901 | 43212107 |
| UNSPSC 11 | 43172501 |

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Classifications

### UNSPSC

| UNSPSC 12.01 | 43212107 |
|---|---|
| UNSPSC 13.2 | 43212108 |
| UNSPSC 18.0 | 43212108 |
| UNSPSC 19.0 | 43212108 |
| UNSPSC 20.0 | 43212108 |
| UNSPSC 21.0 | 43212108 |

## Accessories

### Accessories

### Conductor marking

Cable marker label - MM-WML 3 (EX10)R C1 WH/BK - 0803931

Cable marker label, Roll, white, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K: without print, mounting type: adhesive, lettering field size: continuous x 10 mm

Cable marker label - MM-WML 5 (EX10)R C1 WH/BK - 0803932

Cable marker label, Roll, white, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K: without print, mounting type: adhesive, lettering field size: continuous x 10 mm

### Device marking

Label, highly flexible - MM-EMLF (EX18)R C1 GN/WH - 0803953

Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 18 mm

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

Label, highly flexible - MM-EMLF (EX24)R C1 GN/WH - 0803954

Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

Label, highly flexible - MM-EMLF (EX10)R C1 OG/BK - 0803955

Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Label, highly flexible - MM-EMLF (EX12)R C1 OG/BK - 0803956

Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm

Label, highly flexible - MM-EMLF (EX18)R C1 OG/BK - 0803957

Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 18 mm

Label, highly flexible - MM-EMLF (EX24)R C1 OG/BK - 0803958

Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

Label, highly flexible - MM-EMLF (EX10)R C1 RD/WH - 0803959

Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Fabric label - MM-EMLC (EX10)R C1 WH/BK - 0803933

Fabric label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Fabric label - MM-EMLC (EX12)R C1 WH/BK - 0803934

Fabric label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm

Fabric label - MM-EMLC (EX18)R C1 WH/BK - 0803936

Fabric label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 18 mm

Label, highly flexible - MM-EMLF (EX10)R C1 WH/BK - 0803937

Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

Label, highly flexible - MM-EMLF (EX12)R C1 WH/BK - 0803938

Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm

Label, highly flexible - MM-EMLF (EX18)R C1 WH/BK - 0803939

Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 18 mm

Label, highly flexible - MM-EMLF (EX24)R C1 WH/BK - 0803940

Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

Label, highly flexible - MM-EMLF (EX10)R C1 YE/BK - 0803941

Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Label, highly flexible - MM-EMLF (EX12)R C1 YE/BK - 0803942

Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

Label, highly flexible - MM-EMLF (EX18)R C1 YE/BK - 0803943

Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 18 mm

Label, highly flexible - MM-EMLF (EX24)R C1 YE/BK - 0803944

Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

Label, highly flexible - MM-EMLF (EX10)R C1 BU/WH - 0803945

Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Label, highly flexible - MM-EMLF (EX12)R C1 BU/WH - 0803946

Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm

Label, highly flexible - MM-EMLF (EX18)R C1 BU/WH - 0803947

Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 18 mm

![PHOENIX CONTACT]

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

Label, highly flexible - MM-EMLF (EX24)R C1 BU/WH - 0803949

Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

Label, highly flexible - MM-EMLF (EX10)R C1 GN/WH - 0803950

Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Label, highly flexible - MM-EMLF (EX12)R C1 GN/WH - 0803952

Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm

Label, highly flexible - MM-EMLF (EX12)R C1 RD/WH - 0803960

Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm

Label, highly flexible - MM-EMLF (EX18)R C1 RD/WH - 0803961

Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 18 mm

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

Label, highly flexible - MM-EMLF (EX24)R C1 RD/WH - 0803962

Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

Insert label - MM-EMT (EX6)R C1 WH/BK - 0803963

Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped into marker carrier, lettering field size: continuous x 6 mm

Insert label - MM-EMT (EX8)R C1 WH/BK - 0803965

Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped into marker carrier, lettering field size: continuous x 8 mm

Insert label - MM-EMT (EX15)R C1 WH/BK - 0803966

Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped into marker carrier, lettering field size: continuous x 15 mm

Insert label - MM-EMT (EX17)R C1 WH/BK - 0803967

Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped into marker carrier, lettering field size: continuous x 17 mm

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

### Insert label - MM-EMT (EX18)R C1 WH/BK - 0803968

Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped into marker carrier, lettering field size: continuous x 18 mm

### Insert label - MM-EMT (EX23)R C1 WH/BK - 0803969

Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped into marker carrier, lettering field size: continuous x 23 mm

### Label - MM-EML (EX10)R C1 WH/BK - 0803970

Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

### Label - MM-EML (EX12)R C1 WH/BK - 0803971

Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm

### Label - MM-EML (EX18)R C1 WH/BK - 0803972

Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 18 mm

PHŒNIX
CONTACT

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

Label - MM-EML (EX24)R C1 WH/BK - 0803973

Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

Label - MM-EML (EX10)R C1 SR/BK - 0803974

Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Label - MM-EML (EX12)R C1 SR/BK - 0803975

Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm

Label - MM-EML (EX18)R C1 SR/BK - 0803976

Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 18 mm

Label - MM-EML (EX24)R C1 SR/BK - 0803978

Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

## Printing system accessories

**PHŒNIX CONTACT**

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

### Case - THERMOMARK GO CASE - 1229456

Practical and robust case for storing the THERMOMARK GO and THERMOMARK GO.K mobile printers as well as necessary accessories. The case provides space for nine material cartridges.

### Transport bag - THERMOMARK GO.K BAG - 0805003

Shoulder bag for storing the THERMOMARK GO.K / THERMOFOX mobile printer as well as necessary accessory parts

### Fastening clip - THERMOMARK GO.K BELT CLIP - 0805004

Clip for fastening the THERMOMARK GO.K / THERMOFOX mobile printer to a belt.

### Mounting unit - THERMOMARK GO.K MAGNET HOLDER - 0805008

Magnetic holder for mounting the THERMOMARK GO.K / THERMOFOX mobile printer on metal surfaces, such as a control cabinet.

### Battery - THERMOFOX/ACCU - 0805009

Battery for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

Power supply unit - THERMOFOX/ADAPTER - 0805010

Power supply unit incl. 4 adapters for operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

Charging tray - THERMOFOX/CHARGER - 0805012

Charging cradle for charging the THERMOFOX/ACCU battery (0805009), which is required for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

Case - THERMOMARK GO CASE - 1229456

Practical and robust case for storing the THERMOMARK GO and THERMOMARK GO.K mobile printers as well as necessary accessories. The case provides space for nine material cartridges.

## Shrink sleeve

Shrink sleeve - MM-WMS 3,2 (EX5)R C1 WH/BK - 0803923

Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1 ... 3.2 mm, lettering field size: continuous x 5 mm

Shrink sleeve - MM-WMS 4,8 (EX9)R C1 WH/BK - 0803924

Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 4.8 mm, lettering field size: continuous x 9 mm

![Phoenix Contact logo]

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

Shrink sleeve - MM-WMS 6,4 (EX10)R C1 WH/BK - 0803925

Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.1 ... 6.4 mm, lettering field size: continuous x 10 mm

---

Shrink sleeve - MM-WMS 9,5 (EX16)R C1 WH/BK - 0803926

Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 9.5 mm, lettering field size: continuous x 16 mm

---

Shrink sleeve - MM-WMS-2 3,2 (EX5)R C1 WH/BK - 0803927

Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 3.2 mm, lettering field size: continuous x 5 mm

---

Shrink sleeve - MM-WMS-2 4,8 (EX9)R C1 WH/BK - 0803928

Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.4 ... 4.8 mm, lettering field size: continuous x 9 mm

---

Shrink sleeve - MM-WMS-2 6,4 (EX10)R C1 WH/BK - 0803929

Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 6.4 mm, lettering field size: continuous x 10 mm

---

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

Shrink sleeve - MM-WMS-2 9,5 (EX16)R C1 WH/BK - 0803930

Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 4.8 ... 9.5 mm, lettering field size: continuous x 16 mm

## Terminal marking

Label - MM-TML (EX4,2)R C1 TR/BK - 0803979

Label, Roll, transparent, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, for terminal block width: 8000 mm, lettering field size: continuous x 4.2 mm

Label - MM-TML (EX9,5)R C1 TR/BK - 0803981

Label, Roll, transparent, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, for terminal block width: 8000 mm, lettering field size: continuous x 9.5 mm

Label - MM-TMT (EX6,35)R C1 WH/BK - 0803982

Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap into universal marker groove, snap into flat marker groove, for terminal block width: 5500 mm, lettering field size: continuous x 6.35 mm

Label - MM-TMT (EX9,5)R C1 WH/BK - 0803983

Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap into universal marker groove, snap into flat marker groove, for terminal block width: 5500 mm, lettering field size: continuous x 9.5 mm

# Thermal transfer printer - THERMOMARK GO.K - 1184146

## Accessories

Label - MM-TML (EX3,8)R C1 WH/BK - 1092026

Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, for terminal block width: 8000 mm, lettering field size: continuous x 3.8 mm