ASEOCIATION CONNECTING ELECTRONICS INDUSTRIES® Material Comp © Copyright 2005. I international and Par	PC Bannockl	ourn Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declaration he declaration en	on of the sub compasses	bstances v all lower	vithin the manufact level materials for	urer listed which the	item. Note: i manufacture	f the item is an as r has engineering	ssembly with low responsibility.	
				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information					ion				
upplier Information														
Company name*	Company un	Company unique ID			Unique ID Authority				Respo	Response Date*				
onsemi										2023-0	2023-06-08			
ontact Name Title - Contact					Phone - Contact*				Email	Email - Contact*				
Product-Env-Stewards Product Enviro			ro Compliance		NA			Produ	Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representat			entative		Phone - Representative*			Email	Email - Representative*					
Product-Env-Stewards Produc			roduct Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Item Number		r Mfr Item Name			Effective Date	Version	М	Manufacturing Site		Weight*	UOM	Unit Type	
	CAT24C	CAT24C32C5ATR 32KB I2C SER EE		EEPROM		2023-06-08		CI	CNQ		0.843766	mg	Each	
Ianufacturing Proccess Informa	tion													
Terminal Plating / Grid Array M	al Plating / Grid Array Material Terminal Base Alloy		J-STD-020 MSI	L Rating	Peak Proce	ss Body Te	mperature	e Max Time at Pea	k Temper	ature Numb	per of Reflow Cy	cles		
SnAgCu CU Alloy		CU Alloy		1		260		С	30	seco	nds 3			
omments														
vel 1 - maximum time at peak temperatu	ure during so	Idering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select select a RoHS exemption, if applic sigma range of distribution unless	cable [E] enter the weigh	, Requester or Supplier) [B it of the substance or the P]] select the substance of the substance	ance category (JIG or Requester) or [F] Optionally enter the positive (+	enter a value (Supplier). [C] selec -) and negative (-) tolerance in per	et the substance (J cent (Note: percer	(G) or enter the substa at tolerance values are	nce and CAS (Other). [D] expected to cover a 3
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.7384	mg	Supplier	Silicon (Si)	7440-21-3		0.7384	mg
Insulating Layer	0.0175	mg		Polyimide	proprietary data		0.0175	mg
RDL	0.014291	mg	Supplier	Titanium (Ti)	7440-32-6		0.0001	mg
			Supplier	Copper (Cu)	7440-50-8		0.0142	mg
Solder Ball	0.06531	mg	Supplier	Silver (Ag)	7440-22-4		0.0017	mg
			Supplier	Tin (Sn)	7440-31-5		0.0632	mg
			Supplier	Copper (Cu)	7440-50-8		0.0004	mg
Under Bump Metal	0.008265	mg	Supplier	Titanium (Ti)	7440-32-6		0.0001	mg
			Supplier	Copper (Cu)	7440-50-8		0.0082	mg