

NOTES:

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 5µ GOLD PLATING

**OPERATING TEMPERATURE:** 

.XX ±0.13 .XXX ±0.05

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE:  $10m\Omega$  MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


SW REFERENCE NO.: 627 COMBO ASSEMBLY				
COMBINATION	D-SUB	DRAWN: C.B	DATE: JAN. 01/20	19
		CHECKED:	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
EDAG DEDAG INC TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627W2WK2122-1NA		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627W2	WK2122-1NA	TE: JAN. 01/2019 TE: IEET 1 OF 4 22-1NA ISSUE



COMPLIANT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





**ISSUE NUMBER** THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05






3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female






 $\overline{(1)}$ 


21W4 Male/Female



27W2 Male/Female




21W1 Male/Female



	SW REFERENCE NO.: 627 COMBO ASSEMBLY				
COMBINAT	DRAWN: C.B	DATE: JAN. 01/2019			
		CHECKED: DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 3 OF	4	
TORONTO, ONTA CANADA	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627W2V	VK2122-1NA	ISSUE	
YOUR CONNECTION TO QUALITY & SERV	E MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627W2W	VK2122-1NA	1	

5W5 Male

5W5 Female



47.05


23.53

8W8 Male

8W8 Female


31.76

22.83






11W1 Male/Female




17W2 Male/Female

CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



COMPLIANT



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male










36W4 Female




13W3 Male











13W6 Male




43W2 Male






17W5 Female






47W1 Female





17W5 Male











			SW REFERENCE NO.: 627 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
Y CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4
NION DIRECTIVES DHS COMPLIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627W2W	K2122-1NA	ISSUE
TIG COMI LIANCI.	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W2W	K2122-1NA	1



THIS SERIES FULLY THE EUROPEAN UNI 2011/65/EU FOR RoH





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female

