
THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




**ISSUE NUMBER** 

(1)

ORIGINAL





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING



.X ±0.25 .XX ±0.13

.XXX ±0.05


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms



			SW REFERENCE NO.: 630 COMBO ASSEMBLY				
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019				
	L		CHECKED:	DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF 4	4		
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-36W4	4640-1NE IS	SSUE		
			PART NUMBER: 630-36W4	4640-1NE	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3


5W1 Male/Female

7W2 Male/Female



21W4 Male/Female


27W2 Male/Female



**ISSUE NUMBER** 

 $\overline{(1)}$ 

5W5 Male




PCB EDGE

8W8 Male




PCB EDGE




POB EDGE

2.77 PCB EDGE


5W5 Female




8W8 Female



PCB EDGE




21W1 Male/Female



		SW REFERENCE NO.: 630 COMBO ASSEMBLY					
	COMBINATION D-SUB		DRAWN: C.B		DATE: JAN.	01/201	19
			CHECKED: DATE:				
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S		SHEET 3	OF	4
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-36W4640-1NE			ISSUE	
			PART NUMBER:	630-36W4	4640-1NE		1

PCB EDGE


CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



17W2 Male/Female


THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT







11W1 Male/Female



 
 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25
















13W3 Male






25W3 Male




13W3 Female

.XX ±0.13 .XXX ±0.05




31.75

36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

24.77

## 43W2 Female




17W5 Male


COMPLIANT













20.70

13.72

PCB EDGE



PCB EDGE



					*			
	,	COMBINATION D-SUB			SW REFERENCE NO.: 630 COMBO ASSEMBLY			
	)				DRAWN: C.B	DATE: JAN. 01/20	)19	
	)				CHECKED:	DATE:		
2	THIS SERIES FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4	
	THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.		TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 630-36W	/4640-1NE	ISSUE	
		YOUR CONNECTION TO QUALITY & SERVICE		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 630-36W	/4640-1NE	1	