Mounting Option In-Line Card Guides		<u>Contact Detail</u> PC Tail .046x.013(1.17x0.33) - Tail LG=.213(5.41)		THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.		er. A	ISSUE NUM ORIGINA	
		.156 [3.96] Contact Spacing x .200 [5.08] Row Spacing						
0.500[12.70]	0.156[3.96]	6.560 [ 6.706 [ 6.992 [	166.62] ————————————————————————————————————			SE	CTION A	A
	A							-71
							7	
[10]	(F					.175 [4.45] Point of Conta (FROM BTM OF SLOT)	ict	<i>,</i> ⊒
0.473 [12.01]	7.302 [185.47] — Card S to .070					I Slot Accepts .054 [1. 70 [1.78] Thick P.C. Bo	37] ard	<b>—</b>
0.4								IO MAGTED
			307 / 357 Card Edge Connector			DRAWN: J.LEE	DATE: AU	NG MASTER
	See Accompanying Pages f	for:	Part Number: 307-041-425-178		CHECKED:	DATE:		
<ul> <li>Contact Bend Details</li> <li>Mounting Options</li> </ul>		Details		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: NTS	SHEET	
			YOUR CONNECTION TO QU	ORONTO, ONTARIO CANADA IALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER 307 Assem	bly	ISSUE 1



