



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL


(1)







NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | |
|--|--|--|---------------------------------|------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | | CHECKED: | DATE: | |
| | EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 |
| | | | DRAWING NUMBER: 627-2WK2224-3NE | | ISSUE |
| | | | PART NUMBER: 627-2WK | 2224-3NE | 1 |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



emale



emale

ISSUE

1

| 47.05 | | an area | 33.30 6.650 15.65 15.55 15 | ¥ 22. × |
|--|------------|-------------|---|----------------------|
| | | 11W1 | Male/Female | 27W2 Male/Fem |
| 47.06 23.63 8 14.48 90 8.890 | 8W8 Female | | 33.30 3.00 | |
| | | 17W2 | 2 Male/Female | 21W1 Male/Ferr |
| CURRENT RATING | G / ØA | | | |
| 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 | | 28 | 47.05 23.53 3.85 4.31 2.72 4.385 4.31 4.70 4.385 | |
| | | | | SW REFERENCE NO.: 62 |
| | | COMBINATION | D-SUB | DRAWN: C.B |
| | | | | CHECKED: |
| ERIES FULLY CONFORMS TO | | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS | SCALE: N.T.S |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

| | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | | | |
|-----------------------|---------------------------|--|-----------------|---------|----------|------------|-----|
| C | OMBINATION | D-SUB | DRAWN: C.B | | DATE: J | JAN. 01/20 |)19 |
| | | CHECKED: | | DATE: | | | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: N.T.S | | SHEET | 3 OF | 4 |
| | DRONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: | 627-2WK | 2224-3NE | | ISS |
| YOUR CONNECTION TO QU | JALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: | 627-2WK | 2224-3NE | | 1 |



23.53

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 목





13W6 Male



43W2 Male





17W5 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female


47W1 Female





17W5 Male











| | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | | |
|---------------------|--------------------------------------|---|---------------------------------|------------------|-------|--|
| | COMBINATION | COMBINATION D-SUB | | DATE: JAN. 01/20 |)19 | |
| | | | CHECKED: | DATE: | DATE: | |
| RMS TO | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: N.T.S | SHEET 4 OF | 4 | |
| ECTIVES PLIANCY. | YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 627-2WK2224-3NE | | ISSUE | |
| | | | PART NUMBER: 627-2 | WK2224-3NE | 1 | |



THIS SERIES FULLY CONFORM THE EUROPEAN UNION DIREC 2011/65/EU FOR RoHS COMPL