

т	۵	п –	m	0







LAYOUT SHOWN AS

Keying Shown as example

CHARACTERISTICS

ယ

 \sim

-Mass

BASIC SERIES:

SHELL SIZE : 11

SHELL TYPE : Square Flange Receptacle

PLATING : Z = Black Zinc Nickel

Н

CONTACT TYPE : Standard Crimp Contact

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material	: Aluminium			
-Shell Plating	: Black Zinc Nickel			
-Insulator	: Thermoplastic			
-Contacts	: Copper Alloy			
-Seals & Grommet	: Silicon Elastomer			
-Contact Plating	: Gold over copper Alloy $0.8 \mu m$ minimum			
-Durability	: 500 Mating cycles			
-Delivered with Souriau contacts and Accessories				
-Temperature Range	-65°C to +175°C			
-Salt Spray	: 500 hours			

: 14.95 g ± 10%

8D 0

G

11

Ζ

01

В


F

Е

Connector dimension			
Dim	Nominal		
Р	3.25±0.2		
PP	4.93±0.2		
R1	20.62		
R2	18.26		
S	26.2±0.3		
V	20.83+0/-1.25		
W	2.1/2.5		
Z	31.5 Max		
VV THREAD	M15x1-6g		
Z	31.5 Max		

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recomment



	Φ		Þ			
					4	
AS EXA	AMPLE				3	
s whic er of t idatio	non-conformit h does not co he Parties or b n, technical n	mply with by a third par otice.)	rty			
untry FR	Jurisc	liction & Con Not Listed			2	
.1Z01BE						
				MOD N°		
um	CUSTOMER DRAWING m Receptacle 8D series					
ar		NPRDS	/ PROJECT			
		-	359		1	
J.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission						
	J DRG N° SHEET 701BF-C 1/2					
.20	1BE-C B		A	1/2	J	

		۵	н Г	m	D	0
		Contact Layout				Panel Cutout
4		01			A	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING
	Ctc	1#12 11-01 X Y			¥ 2	
ى ن	A	0 0				Dim ØA ØAA R1 ØT
						SOURIAU shall not be liable for any due to a use of the Products whi the Specifications issued by either of (professional recommendati
0						Country FR
					A 08-10-20 ISS DATE Designed By:	PN: 8D0112
-					TITLE SCALE NA	Aluminium General linear Tolerances:
					FORMAT	U WWW.SOURIAU.CO
		2	-	- 1	A3	8D011Z0
	Н	G	F F	E	D	C

