

### SAFETY DATA SHEET

## Stereze 70% Isopropyl Alcohol, Pump Spray

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

### 1. Identification

**Product identifier** 

Product name Stereze 70% Isopropyl Alcohol, Pump Spray

Chemical name 70% Isopropyl Alcohol

Product number STIA32PS

Recommended use of the chemical and restrictions on use

**Application** Cleaning agent.

**Uses advised against**No specific uses advised against are identified.

Details of the supplier of the safety data sheet

Supplier MicroCare LLC

595 John Downey Drive New Britain, CT 06051 United States of America

CAGE: OATV9

Tel: +1 860-827-0626 Fax: +1 860-827-8105 techsupport@microcare.com

Manufacturer MICROCARE LLC

595 John Downey Drive New Britain, CT 06051 United States of America

CAGE: OATV9

Tel: + 1 800 638 0125, +1 860-827-0626

Fax: +1 860-893-1930 techsupport@microcare.com

Emergency telephone number

Emergency telephone CHEMTREC 1-800-424-9300 (within the U.S.)

+1 703-741-5970 (from anywhere in the world)

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Flam. Liq. 2 - H225

**Health hazards** Eye Irrit. 2A - H319 STOT SE 3 - H336

Label elements

Hazard symbols





Revision date: 11/24/2020 Revision: 9 Supersedes date: 11/24/2020

### Stereze 70% Isopropyl Alcohol, Pump Spray

Signal word Danger

Hazard statements H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

**Precautionary statements** P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.

P261 Avoid breathing vapor/ spray.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

Contains PROPAN-2-OL

### 3. Composition/information on ingredients

#### **Mixtures**

PROPAN-2-OL 60-100%

CAS number: 67-63-0

### Classification

Flam. Liq. 2 - H225 Eye Irrit. 2A - H319 STOT SE 3 - H336

D.I. WATER 30-60%

CAS number: 7732-18-5

### Classification

Not Classified

The full text for all hazard statements is displayed in Section 16.

### Composition

### 4. First-aid measures

### Description of first aid measures

General information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical

personnel.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery

position and ensure breathing can take place.

Ingestion Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if

the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical

attention if symptoms are severe or persist.

**Eye contact** Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart.

Get medical attention if any discomfort continues.

### Most important symptoms and effects, both acute and delayed

Revision date: 11/24/2020 Revision: 9 Supersedes date: 11/24/2020

### Stereze 70% Isopropyl Alcohol, Pump Spray

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** A single exposure may cause the following adverse effects: Headache. Nausea, vomiting.

Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic

effect.

**Ingestion** No specific symptoms known.

**Skin contact** No specific symptoms known.

**Eye contact** Irritating to eyes.

### Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

### 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder

or water fog. Use fire-extinguishing media suitable for the surrounding fire.

### Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

### Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Flammable liquid and vapour. Vapors may be ignited by a spark, a hot surface or an ember. Vapors may form explosive mixtures with air. Fire-water run-off in sewers may create fire or

explosion hazard.

### Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapors.

### Advice for firefighters

# Protective actions during

firefighting

Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

# Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

#### Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be

taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes

contaminated. Avoid inhalation of vapors and spray/mists. Use suitable respiratory protection

if ventilation is inadequate.

### **Environmental precautions**

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

### Methods and material for containment and cleaning up

#### Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

#### Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

### 7. Handling and storage

### Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Keep away from food, drink and animal

feeding stuffs. Keep container tightly sealed when not in use. The product is flammable.

### Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). Keep away from oxidizing materials,

heat and flames. Keep only in the original container. Keep container tightly closed, in a cool,

well ventilated place. Keep containers upright. Protect containers from damage.

**Storage class** Flammable liquid storage.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

Reference to other sections. Store away from incompatible materials (see Section 10).

### 8. Exposure controls/Personal protection

### Control parameters

### Occupational exposure limits

#### PROPAN-2-OL

Long-term exposure limit (8-hour TWA): OSHA 400 ppm 980 mg/m³ Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 492 mg/m³ Short-term exposure limit (15-minute): ACGIH 400 ppm 984 mg/m³

A4

OSHA = Occupational Safety and Health Administration.

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

### **Exposure controls**

**Hand protection** No specific hand protection recommended.

Environmental exposure

Keep container tightly sealed when not in use.

controls

### 9. Physical and chemical properties

Revision date: 11/24/2020 Revision: 9 Supersedes date: 11/24/2020

### Stereze 70% Isopropyl Alcohol, Pump Spray

### Information on basic physical and chemical properties

**Appearance** Clear liquid. Color Colorless. Odor Alcoholic.

Odor threshold No information available. pΗ No information available. Melting point No information available. Initial boiling point and range 82°C/180°F @ 101.3 kPa Flash point 12°C/53°F Tag closed cup.

**Evaporation rate** No information available. **Evaporation factor** No information available. Flammability (solid, gas) No information available.

Upper/lower flammability or

explosive limits

Lower flammable/explosive limit: 2.0 %(V) Upper flammable/explosive limit: 12.7 %(V)

Other flammability No information available.

Vapor pressure 5.2 kPa @ 20°C

Vapor density 1.82 Relative density 0.87

No information available. **Bulk density** 

Solubility(ies) Soluble in water.

Partition coefficient No information available. No information available. **Auto-ignition temperature Decomposition Temperature** No information available. No information available. Viscosity **Explosive properties** No information available.

**Global Warming Potential** 

(GWP)

Refractive index No information available.

Particle size Not applicable. Molecular weight Not applicable.

Volatility 100%

Saturation concentration No information available. Critical temperature No information available.

Volatile organic compound This product contains a maximum VOC content of 350 g/l. This product contains a maximum

VOC content of 70 %.

### 10. Stability and reactivity

Revision date: 11/24/2020 Revision: 9 Supersedes date: 11/24/2020

### Stereze 70% Isopropyl Alcohol, Pump Spray

**Reactivity** See the other subsections of this section for further details.

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

Possibility of hazardous

reactions

The following materials may react strongly with the product: Oxidizing agents.

Conditions to avoid Avoid heat, flames and other sources of ignition. Containers can burst violently or explode

when heated, due to excessive pressure build-up. Static electricity and formation of sparks

must be prevented.

Materials to avoid Oxidizing materials. Acids - oxidizing.

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

### 11. Toxicological information

### Information on toxicological effects

Toxicological information on ingredients.

### PROPAN-2-OL

Acute toxicity - inhalation

Acute toxicity inhalation

16,000.0

(LC<sub>50</sub> vapours mg/l)

ATE inhalation (vapours

16,000.0

mg/l)

Carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP carcinogenicity Not listed.

OSHA Carcinogenicity Not listed.

### 12. Ecological information

### Ecological information on ingredients.

### PROPAN-2-OL

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 9,640 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hours: 5102 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC<sub>50</sub>, 72 hours: >2,000 mg/l, Algae

Bioaccumulative potential

Partition coefficient No information available.

### Ecological information on ingredients.

### PROPAN-2-OL

Partition coefficient : 0.05

### 13. Disposal considerations

### Waste treatment methods

General information The generation of waste should be minimized or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

**Disposal methods**Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a

licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is

not feasible.

### 14. Transport information

### **UN Number**

UN No. (TDG) UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII, LIMITED QUANTITY

UN No. (IMDG) UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII, LIMITED QUANTITY

UN No. (ICAO) UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII, LIMITED QUANTITY

UN No. (DOT) UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII, LIMITED QUANTITY

### UN proper shipping name

Proper shipping name (IMDG) UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII, LIMITED QUANTITY

Proper shipping name (ICAO) UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII, LIMITED QUANTITY

### **Environmental hazards**

### **Environmentally Hazardous Substance**

No.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### 15. Regulatory information

### **US Federal Regulations**

#### SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed or exempt.

### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

### SARA 313 Emission Reporting

None of the ingredients are listed or exempt.

### **CAA Accidental Release Prevention**

None of the ingredients are listed or exempt.

### FDA - Essential Chemical

None of the ingredients are listed or exempt.

#### FDA - Precursor Chemical

None of the ingredients are listed or exempt.

### SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed or exempt.

#### **US State Regulations**

### California Proposition 65 Carcinogens and Reproductive Toxins

This product does not contain any chemicals found on the California Proposition 65 Carcinogens and Reproductive Toxins.

### California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

### California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed or exempt.

### California Directors List of Hazardous Substances

The following ingredients are listed or exempt:

#### Massachusetts "Right To Know" List

The following ingredients are listed or exempt:

### Rhode Island "Right To Know" List

The following ingredients are listed or exempt:

### Minnesota "Right To Know" List

The following ingredients are listed or exempt:

### New Jersey "Right To Know" List

The following ingredients are listed or exempt:

### Pennsylvania "Right To Know" List

The following ingredients are listed or exempt:

### **Inventories**

### Canada - DSL/NDSL

DSL

#### **US-TSCA**

All the ingredients are listed or exempt. Present.

### US - TSCA 12(b) Export Notification

Not listed.

### 16. Other information

Revision date

Revision 9

Supersedes date 11/24/2020

SDS No. BULK - STIA32PS

Hazard statements in full H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.