


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


ORIGINAL

(1)






NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)



5W5 Male

3W3 / 3WK3

8W8 Male

3.30

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female

	011011010				
47.05 - 23.03 - 14.48 - 14.48 - 14.48 - 98 - 98		33.30 686 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85		53.50 31.75 20.70 00 00 00 00 00 00 00 00 00 00 00 00 0	erse .
		11W1 Male/Female	27W2 Male/Female	e	
5W5 Female	8W8 Female	33.30 16.65 19.70 2.77 2.77		63.60 31.75 15.24 +++++++	
		17W2 Male/Female	21W1 Male/Female	e	
CURRENT RATING / \emptyset A 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 47.05					
		COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY	
	COMBIN			DATE: JAN. 01/20	019
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO		ARE THE FROFER TO FEDAG ING., AND	SCALE: N.T.S	SHEET 3 OF	1
COMPLIANT 2011/65/EU FOR RoHS COMPLIANCY.		OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 628-17W2	2224-1TC	ISSUE
	YOUR CONNECTION TO QUALITY & SE	RVICE WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-17W2	2224-1TC	1

	EDAC INC TORONTO, ONTARIO CANADA
YOUR CONNECTION TO	QUALITY & SERVICE

 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.


 .X
 ±0.25





9W4 Male

47.05 23.03 44.51 9.70 44.51 9.70 9. 25W3 Male



47.05 23.53 9.79 14.51 5.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 7.7




25W3 Female


36W4 Female




13W3 Male



36W4 Male







13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female





47W1 Female



17W5 Male


COMPLIANT






2.77







			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-17W2224-1TC		ISSUE
			PART NUMBER: 628-17W	2224-1TC	1