


6.10



NOTES:

.XX ±0.13 .XXX ±0.05

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 15µ GOLD PLATING

**OPERATING TEMPERATURE:** 

-55°C ~ 125°C


POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE:  $10m\Omega$  MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE:

				SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19			
			CHECKED:	DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627W5W1-324-4ND		ISSUE		
YOUR CONNECTIO	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627W5W	/1-324-4ND	1		





1000V AC rms



**ISSUE NUMBER** THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

47.0/

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female



Male/Female

CHECKED:

SCALE: N.T.S

PART NUMBER:

DRAWING NUMBER:

16.6

627 COMBO ASSEMBLY

SHEET 3

DATE:

627W5W1-324-4ND

627W5W1-324-4ND

DATE: JAN. 01/2019

OF 4

ISSUE

1

4 1	<u>. 8.36</u>	_7.64_	5.36	
			11W	1 Male/Female
		8W8 Female		
47.05 4.49 - 14 + + 14 + + (	23.63 48 90 90 90 90 90 90 90 90 90 90 90 90 90	$\begin{array}{c} 53.50 \\ \hline 31.75 \\ \hline 22.83 \\ \hline \\ \hline \\ \hline \\ \\ \hline \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $	   	
-				2 Male/Female
	CURRENT RATING	G/ØA		
	10A / 2.2			1ª 47.05 **
	20A / 3.3 30A / 3.7 40A / 4.2		7	
			COMBINATION	ND-SUB
EUROPEA	ULLY CONFORMS TO N UNION DIRECTIVES R RoHS COMPLIANCY.	YOUR CONNE	EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS

YOUR CONNECTION TO QUALITY & SERVICE

63.50

31.75

22.97



THIS S THE EU 2011/65/EU FOR RoHS COMPLIANCY.

17W2 Male/Female	21W1 Ma
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	SW REFERENCE NO .:
COMBINATION D-SUB	DRAWN: C.B

WITHOUT WRITTEN PERMISSION.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male










36W4 Female




13W3 Male


3


3











13W6 Male



43W2 Male





.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT













		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/201	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAG INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 627W5W1-324-4ND		ISSUE
			PART NUMBER: 627W5W	1-324-4ND	1







17W5 Female